

# Finite-superposition solutions for surface states in a type of photonic superlattice

Qiongtao Xie<sup>1,2,\*</sup> and Chaohong Lee<sup>2,3,†</sup>

<sup>1</sup>*Department of Physics and Key Laboratory of Low-Dimensional Quantum Structure and Quantum Control of Ministry of Education, Hunan Normal University, Changsha 410081, China*

<sup>2</sup>*State Key Laboratory of Optoelectronic Materials and Technologies, School of Physics and Engineering, Sun Yat-Sen University, Guangzhou 510275, China*

<sup>3</sup>*Nonlinear Physics Centre, Research School of Physics and Engineering, Australian National University, Canberra ACT 0200, Australia*  
(Received 9 January 2012; published 4 June 2012; publisher error corrected 8 June 2012)

We develop an efficient method to derive a class of surface states in photonic superlattices. In a kind of infinite bichromatic superlattice satisfying some specific conditions, we obtain a finite portion of their in-gap states, which are superpositions of finite numbers of their unstable Bloch waves. By using these unstable in-gap states, we construct exactly several stable surface states near various interfaces in photonic superlattices. We analytically explore the parametric dependence of these exact surface states. Our analysis provides an exact demonstration for the existence of surface states and would be also helpful to understand surface states in other lattice systems.

DOI: [10.1103/PhysRevA.85.063802](https://doi.org/10.1103/PhysRevA.85.063802)

PACS number(s): 42.25.Gy, 42.70.Qs, 73.20.At

## I. INTRODUCTION

Surface states are a kind of localized state found at the interfaces between two different media. In 1932, Tamm predicted that electronic surface waves may exist in a semi-infinite one-dimensional repulsive Kronig-Penney (KP) model [1] and these surface states were named as Tamm states later. Similar results also exist in the attractive KP model [2]. The energies of Tamm states lie in the forbidden gaps for the corresponding infinite KP model. The surface states depend crucially on surface termination of periodic potentials [3–5]. It has been demonstrated that Tamm states appear when the periodic potentials are asymmetrically terminated and Shockley states appear while the periodic potentials are symmetrically terminated [3]. Surface states have been observed in several experimental systems such as semiconductor superlattices [6–9] and magnetophotonic structures [10].

In the past few decades, surface states have been studied extensively due to their potential applications in optoelectronic devices. However, an analytical demonstration of the existence of exact surface states is still absent [11–13]. For an example, to construct a surface state in the semi-infinite one-dimensional KP model, one needs to calculate analytically or numerically a Bloch wave of a complex wave number and then match it with an exponentially decaying state inside the surface potential [11–13]. In a semi-infinite sinusoidal potential [13] or a semi-infinite KP potential [1,2,14], the energies and the wave numbers for the surface states are determined implicitly by solving a transcendental equation. In addition, there are other approximation methods for constructing surface states [15], such as the coefficient method, the scattering method, the determinant method, and the integral method. Until now, it has been a great challenge to find exact solutions for surface states [16–18].

Due to the fact that the temporal evolution of quantum systems can be mapped into the spatial propagation of light waves, engineered photonic lattices provide a highly

controllable platform for exploring similar surface states in periodic quantum systems. Surface states near an interface between a periodic layered medium and a homogeneous medium are found to be analogous to electronic surface states in crystals [19]. The formation of Shockley-like surface states in an optically induced semi-infinite photonic superlattice has been experimentally demonstrated [20]. The formation of Tamm states at the boundary between two periodical dielectric structures has been reported [21]. It has been demonstrated that the nonreciprocity of the surface modes can be induced by the violation of periodicity and the violation of time-reversal symmetry [22]. Recent advances on surface states in photonic crystals are reviewed in Ref. [23].

In this paper, for a kind of infinite bichromatic superlattice satisfying some certain conditions, we find a set of the in-gap states in superpositions of finite numbers of unstable Bloch waves. These unstable in-gap states are then used to construct stable surface states for several typical systems of surface states, such as the semi-infinite photonic superlattice, the finite photonic superlattice, two directly coupled photonic superlattices, and two indirectly coupled photonic superlattices. The conditions for the existence of these surface states are derived. We find that the symmetry and the existence of the surface states depend crucially on both lattice parameters and interface parameters. Our analytical results of surface states provide an optional benchmark for understanding surface waves in lattice systems.

## II. IN-GAP STATES IN PHOTONIC SUPERLATTICES

We consider the light propagation in a one-dimensional waveguide array. Assuming the waveguide array is aligned along the  $X$  direction and the light is localized along the  $Y$  direction, the propagation of the light electric field  $E(X, Z)$  along the  $Z$  direction is described by an effective two-dimensional wave equation [24],

$$i \frac{\lambda}{2\pi} \frac{\partial E}{\partial Z} = -\frac{\lambda^2}{8\pi^2 n_s} \frac{\partial^2 E}{\partial X^2} + U(X)E, \quad (1)$$

where  $\lambda$  is the free-space light wavelength and  $n_s$  is the substrate refractive index. The profile of the effective refractive

\*xieqiongtao@yahoo.cn

†chleecn@gmail.com

index is in the form of  $U(X) = [n_s^2 - n^2(X)]/(2n_s) \simeq n_s - n(X)$ , with the refractive index  $n(X)$  for the waveguide array. By using the periodic modulation techniques of  $n(X)$  [25], one can build a bichromatic superlattice of  $U(X) = n_1[1 - \cos(\frac{2\pi X}{\Lambda})] + n_2[1 + \cos(\frac{\pi X}{\Lambda} + \theta)]$  with the amplitudes  $n_1$  and  $n_2$ , the modulation period  $2\Lambda$ , and the relative phase  $\theta$ .

By introducing two scaled variables  $x = \pi X/\Lambda$  and  $z = \pi\lambda Z/(4\Lambda^2 n_s)$  and a transformation  $\phi(x, z) = E(x, z)\exp[i(n'_1 + n'_2)z]$  with  $n'_1 = 8\Lambda^2 n_s n_1/\lambda^2$  and  $n'_2 = 8\Lambda^2 n_s n_2/\lambda^2$ , the system is then described by

$$i \frac{\partial \phi}{\partial z} = -\frac{\partial^2 \phi}{\partial x^2} + V(x)\phi, \quad (2)$$

with  $V(x) = -n'_1 \cos(2x) + n'_2 \cos(x + \theta)$ . Considering its stationary states,  $\phi(x, z) = \psi(x)\exp[-i\beta z]$ , the amplitude  $\psi(x)$  obeys a time-independent equation,

$$\beta \psi = -\frac{\partial^2 \psi}{\partial x^2} + V(x)\psi, \quad (3)$$

with  $\beta$  denoting the propagation constant. Obviously, the light propagation is equivalent to a quantum particle in an external potential.

By applying the Bloch-Floquet theorem, the solutions for Eq. (3) of an infinitely periodic  $V(x)$  are Bloch waves,  $\psi_{n,k}(x) = \exp[ikx]u_{n,k}(x)$ , where  $k$  is the wave number,  $n$  is the band index, and  $u_{n,k}(x)$  has the same periodicity of  $V(x)$ . The Bloch waves of real wave numbers are amplitude-bounded oscillatory solutions. Otherwise, the Bloch waves of complex wave numbers show unbounded exponential behavior [26,27]. The energy spectrum for Eq. (3) consists of bands in which there exist only amplitude-bounded oscillatory solutions and gaps in which there exist unbounded oscillatory solutions.

Under conditions of  $\theta = \arctan[\Delta/(N+1)]$ ,  $n'_1 = 2\eta^2$  and  $n'_2 = 2\eta\sqrt{(N+1)^2 + \Delta^2}$  with integers  $N \geq 0$ , the potential  $V(x)$  could be denoted by  $V(\eta, \Delta, N, x)$  and it supports a set of in-gap solutions (see more details in the Appendix),

$$\begin{aligned} & \psi_N^{m_1}(\eta, \Delta, x) \\ &= \exp\left[i\left(\frac{N}{2} + i\frac{\Delta}{2}\right)x - 2\eta \cos x\right] \\ & \times \sum_{n=0}^N \left( \frac{a_n(\beta_N^{m_1})}{2} \{\exp[-inx] + \exp[-i(N-n)x]\} \right. \\ & \left. + i \frac{b_n(\beta_N^{m_1})}{2} \{\exp[-inx] - \exp[-i(N-n)x]\} \right). \quad (4) \end{aligned}$$

Comparing to the Bloch-wave form, the solution  $\psi_N^{m_1}(\eta, \Delta, x)$  is the Bloch-wave solution with a complex wave number  $k = N/2 + i\Delta/2$ . Here,  $a_n$  and  $b_n$  can be derived from two recursive series:  $2\eta(n+2)a_{n+2} + [(n+1)(n+1-N) + (N^2 + \Delta^2)/4 - 2\eta^2 - \beta_N^{m_1}]a_{n+1} + 2\eta(N-n)a_n + [(n+1)\Delta - N\Delta/2]b_{n+1} = 0$  and  $2\eta(n+2)b_{n+2} + [(n+1)(n+1-N) + (N^2 + \Delta^2)/4 - 2\eta^2 - \beta_N^{m_1}]b_{n+1} + 2\eta(N-n)b_n + [N\Delta/2 - (n+1)\Delta]a_{n+1} = 0$  with initial conditions of  $a_0 = 1$ ,  $b_0 = 0$ ,  $a_1 = [\beta_N^{m_1} + 2\eta^2 - (N^2 + \Delta^2)/4]/2\eta$  and  $b_1 = -N\Delta/4\eta$ . The propagation constant  $\beta_N^{m_1}$  corresponds to the  $m_1$ -th real zeros of  $d_{N+1}(\eta, \Delta, \beta) = a_{N+1} + ib_{N+1} = 0$  in ascending order. Since  $d_{N+1}(\eta, \Delta, \beta)$  is a polynomial

of degree  $N+1$  in the propagation constant  $\beta$ ,  $\beta_N^{m_1}$  have at most  $N+1$  solutions. Mathematically, one can construct a linearly independent solution for  $\psi_N^{m_1}$  in form of  $\tilde{\psi}_N^{m_1} = \psi_N^{m_1} \int_{-\infty}^x (\psi_N^{m_1})^{-2} dx$ . Although  $\psi_N^{m_1}$  and  $\tilde{\psi}_N^{m_1}$  have the same propagation constant  $\beta_N^{m_1}$ , their divergence properties are opposite:  $\psi_N^{m_1} \rightarrow 0$  when  $\tilde{\psi}_N^{m_1} \rightarrow \infty$  and vice versa.

In principle, for a given superlattice  $V(\eta, \Delta, N, x)$ , one may determine the coefficients for the finite-superposition solutions from the two recursive series. For  $N \leq 3$ , one can easily obtain the exact forms for  $a_n$  and  $b_n$ . However, if  $N > 3$ , it is very difficult to give the exact forms for  $a_n$  and  $b_n$ , and one has to find their values by using numerical methods. Below, we consider the two simplest cases:  $N = 0$  and  $N = 1$ . For the case of  $N = 0$ , the sole finite-superposition solution is expressed as

$$\psi_0^1(\eta, \Delta, x) = \exp\left[-\frac{\Delta}{2}x - 2\eta \cos x\right], \quad (5)$$

with  $\beta_0^1(\eta, \Delta) = -(\Delta^2 + 8\eta^2)/4$ . For the case of  $N = 1$ , there are two finite-superposition solutions. The first finite-superposition solution is in form of

$$\begin{aligned} & \psi_1^1(\eta, \Delta, x) \\ &= \exp\left[-\frac{\Delta}{2}x - 2\eta \cos x\right] \\ & \times \left[ \frac{4\eta - \sqrt{16\eta^2 - \Delta^2}}{4\eta} \cos\left(\frac{x}{2}\right) - \frac{\Delta}{4\eta} \sin\left(\frac{x}{2}\right) \right], \quad (6) \end{aligned}$$

with  $\beta_1^1(\eta, \Delta) = (1 - \Delta^2 - 8\eta^2 - 2\sqrt{16\eta^2 - \Delta^2})/4$ . The other finite-superposition solution reads as

$$\begin{aligned} & \psi_1^2(\eta, \Delta, x) \\ &= \exp\left[-\frac{\Delta}{2}x - 2\eta \cos x\right] \\ & \times \left[ \frac{4\eta + \sqrt{16\eta^2 - \Delta^2}}{4\eta} \cos\left(\frac{x}{2}\right) - \frac{\Delta}{4\eta} \sin\left(\frac{x}{2}\right) \right], \quad (7) \end{aligned}$$

with  $\beta_1^2(\eta, \Delta) = (1 - \Delta^2 - 8\eta^2 + 2\sqrt{16\eta^2 - \Delta^2})/4$ . If  $16\eta^2 - \Delta^2 = 0$ , the two in-gap waves  $\psi_1^1(\eta, \Delta, x)$  and  $\psi_1^2(\eta, \Delta, x)$  are identical.

In comparison with the band-gap structure, if  $\Delta \neq 0$ , we find that  $\beta_0^1$  falls into the semi-infinite gap below the lowest band and  $\beta_1^{1,2}$  lies in the first band-gap; see Fig. 1. This means that these finite-superposition solutions are a kind of in-gap state. If  $\Delta = 0$ , the finite-superposition solutions become stable Bloch-wave solutions, since the wave numbers become real. Interestingly,  $\beta_1^1$  and  $\beta_1^2$  form a closed circle connecting the first two bands at  $\Delta = 0$ ; see Fig. 1(b). Moreover, the in-gap state  $\psi_0^1$  appears at  $k = 0$ , while the in-gap states  $\psi_1^{1,2}$  appear at  $k = \pm 0.5$ ; see Figs. 1(c) and 1(d). Since the in-gap states grow without bound, they are unphysical states for the infinite periodic system. However, as we will show below, the in-gap states can be used to construct a special class of exact surface states in several typical models.

### III. SURFACE STATES IN SINGLE-INTERFACE SYSTEMS

One of the most famous single-interface systems is a semi-infinite periodic system of a truncated  $V(\eta, \Delta, N, x)$  connecting




FIG. 1. (Color online) Band-gap structures for  $V(\eta, \Delta, N, x)$ . (a) The first band at  $k = 0$  and the in-gap propagation constant  $\beta_0^1$  for  $N = 0$  and  $\eta = 0.1$ . (b) The first two bands at  $k = \pm 0.5$  and the in-gap propagation constants  $\beta_1^{1,2}$  for  $N = 1$  and  $\eta = 0.1$ . (c) The first two bands and  $\beta_0^1$  for  $N = 0$  and  $\Delta = 0.3$ . (d) The first two bands and  $\beta_1^{1,2}$  for  $N = 1$  and  $\Delta = 0.3$ . The red dot in (a) corresponds to the one in (c), and the two red dots in (b) correspond to the four red dots in (d).

a constant refractive index  $V_0$  [11–14]. The potential for such a system reads as

$$V_1(\eta, \Delta, N, x) = \begin{cases} V_0, & x \leq x_0 \quad (\text{region I}), \\ V(\eta, \Delta, N, x), & x > x_0 \quad (\text{region II}). \end{cases}$$

For an allowed surface state, in region II, it should be in form of  $\psi_N^{m_1}(\eta, \Delta, x)$  for  $\Delta > 0$  (or  $\tilde{\psi}_N^{m_1}$  for  $\Delta < 0$ ),  $\psi_{II}(x) = C_2 \psi_N^{m_1}$  (or  $\psi_{II}(x) = C_2 \tilde{\psi}_N^{m_1}$ ). Below we will consider only the case of  $\Delta > 0$ . In region I,  $\psi_I(x) = C_1 \exp[\sqrt{V_0 - \beta_N^{m_1}} x]$  if  $V_0 > \beta_N^{m_1}$ . The coefficients  $C_i$  are determined by the normalization condition. By applying the continuity condition at the interface  $x = x_0$ , we find that

$$\sqrt{V_0 - \beta_N^{m_1}(\eta, \Delta)} = W_N^{m_1}(\eta, \Delta, x_0), \quad (8)$$

with  $W_N^{m_1}(\eta, \Delta, x) = \dot{\psi}_N^{m_1}(\eta, \Delta, x)/\psi_N^{m_1}(\eta, \Delta, x)$ . Here the dot denotes the derivative with respect to  $x$ . Thus, the surface state exists if  $W_N^{m_1}(\eta, \Delta, N, x_0) > 0$  and  $V_0 = \beta_N^{m_1} + (W_N^{m_1})^2$ . For example, in the simplest case of  $N = 0$ , the interface parameters  $x_0$  and  $V_0$  satisfy the conditions,  $\sin(x_0) > \Delta/4\eta$  and  $V_0 = -(\Delta^2 + 8\eta^2)/4 + [\Delta/2 - 2\eta \sin(x_0)]^2$ . In Fig. 2(a), we show the surface wave in this semi-infinite periodic system with  $\eta = 0.3$ ,  $\Delta = 0.2$ , and  $N = 0$ , which corresponds to  $n_1 = 2.2 \times 10^{-4}$ ,  $n_2 = 7.6 \times 10^{-4}$ , and  $\theta = \arctan(0.2)$  in an experimental system of  $\lambda = 980$  nm,  $n_s = 1.518$ , and  $\Lambda = 8$   $\mu\text{m}$  [24,25]. In this situation, we take  $x_0 = \pi/2$  and thus have  $V_0 = -(\Delta^2 + 8\eta^2)/4 + [\Delta/2 - 2\eta \sin(x_0)]^2 = 0.06$ .

Another typical single-interface system is of two truncated periodic potentials connecting at the interface. We consider a system of  $V(-\eta, -\Delta, N, x)$  and  $V(\eta, \Delta, N, x)$  with  $\Delta > 0$  connecting at the interface  $x = x_0$  [10]. Its potential is expressed as

$$V_2(\eta, \Delta, N, x) = \begin{cases} V(-\eta, -\Delta, N, x), & x \leq x_0 \quad (\text{region I}), \\ V(\eta, \Delta, N, x), & x > x_0 \quad (\text{region II}). \end{cases}$$




FIG. 2. (Color online) Surface states in single-interface systems. (a)  $V_1(\eta, \Delta, N, x)$  of  $x_0 = \pi/2$ ,  $\eta = 0.3$ ,  $\Delta = 0.2$ ,  $V_0 = 0.06$ , and  $N = 0$ . (b)  $V_2(\eta, \Delta, N, x)$  of  $x_0 = \pi/2$ ,  $\eta = 0.1$ ,  $\Delta = 4\eta \sin x_0$ , and  $N = 0$ .

Thus, we have  $\psi_I(x) = C_1 \psi_N^{m_1}(-\eta, -\Delta, x)$  for  $x \leq x_0$  and  $\psi_{II}(x) = C_2 \psi_N^{m_1}(\eta, \Delta, x)$  for  $x > x_0$ . The continuity conditions at  $x = x_0$  give

$$W_N^{m_1}(-\eta, -\Delta, N, x_0) = W_N^{m_1}(\eta, \Delta, N, x_0). \quad (9)$$

For the case of  $N = 0$ , it is easy to find  $4\eta \sin x_0 = \Delta$  from the continuity condition at the interface. Therefore, the surface wave exists only when  $|\Delta/4\eta| \leq 1$ . In Fig. 2(b), we show the surface state for  $N = 0$  and  $x_0 = \pi/2$ . We also find that the position of the interface  $x_0$  affects strongly the shape of the surface waves. For an example, the surface wave for the case of  $x_0 = \pi/2$  is symmetric about  $x = x_0 = \pi/2$ . While the surface wave for the case of  $x_0 = \pi/6$  is asymmetric about  $x = x_0 = \pi/6$ .

#### IV. SURFACE STATES IN DOUBLE-INTERFACE SYSTEMS

One typical double-interface system is a finite periodic system  $V(\eta, \Delta, N, x)$  sandwiched by two constant refractive indices  $V_0$  and  $V_1$  [3], which obeys the potential

$$V_3(\eta, \Delta, N, x) = \begin{cases} V_0, & x \leq x_0 \quad (\text{region I}), \\ V(\eta, \Delta, N, x), & x_0 < x < x_1 \quad (\text{region II}), \\ V_1, & x \geq x_1 \quad (\text{region III}). \end{cases}$$

In region II, one may use the finite-superposition solution  $\psi_N^{m_1}(\eta, \Delta, x)$  and its linearly independent solution  $\tilde{\psi}_N^{m_1}$  to construct the surface state, that is,  $\psi_{II}(x) = C_2 \psi_N^{m_1}(\eta, \Delta, x) + \tilde{C}_2 \tilde{\psi}_N^{m_1}$ . In other two regions, the physical state must be nondivergent and normalizable. Therefore, if  $V_{0,1} > \beta_N^{m_1}$ , we have  $\psi_I(x) = C_1 \exp[\sqrt{V_0 - \beta_N^{m_1}} x]$  for  $x \leq x_0$  and  $\psi_{III}(x) = C_3 \exp[-\sqrt{V_1 - \beta_N^{m_1}} x]$  for  $x \geq x_1$ . Similarly, the continuity conditions at the two interfaces  $x = x_0$  and  $x = x_1$  request

$$\sqrt{V_1 - \beta_N^{m_1}} = -\frac{W_N^{m_1}(\eta, \Delta, x_1) + R K_N^{m_1}(x_1)}{1 + R F_N^{m_1}(x_1)}, \quad (10)$$

with

$$R = \tilde{C}_2/C_2 = \frac{\sqrt{V_0 - \beta_N^{m_1}} - W_N^{m_1}(\eta, \Delta, x_0)}{K_N^{m_1}(x_0) - \sqrt{V_0 - \beta_N^{m_1}} F_N^{m_1}(x_0)},$$




FIG. 3. (Color online) Surface states in a finite periodic system described by  $V_3(\eta, \Delta, N, x)$  with  $N = 0$ ,  $\eta = 0.3$ ,  $\Delta = 0.1$ , and  $x_0 = -x_1 = -19\pi/2$ . (a)  $V_0 = 0.12$ ,  $V_1 = 0.24$ , and  $R = 0$ . (b)  $V_0 = 0.196151$ ,  $V_1 = 0.142676$ , and  $R = \infty$ . (c)  $V_0 = 0.123884$ ,  $V_1 = 0.147421$ , and  $R = 0.0696$ .

$K_N^{m_1}(x) = \tilde{\psi}_N^{m_1}(x)/\psi_N^{m_1}(x)$ , and  $F_N^{m_1}(x) = \tilde{\psi}_N^{m_1}(x)/\psi_N^{m_1}(x)$ . In principle, the ratio between  $C_2$  and  $\tilde{C}_2$  can be arbitrary. However, to satisfy the continuity conditions at the two interfaces, the interface parameters ( $V_0, V_1, x_0, x_1$ ) and the lattice parameters ( $\eta, \Delta, N$ ) should obey some certain conditions. In Fig. 3, we show two surface states for  $\eta = 0.3$ ,  $\Delta = 0.1$ ,  $N = 0$ , and  $x_0 = -x_1 = -19\pi/2$ . If  $R = 0$ , the continuity conditions request  $V_0 = 0.12$  and  $V_1 = 0.24$  and the surface state is localized around the interface  $x = x_0$ ; see Fig. 3(a). If  $R = \infty$  ( $C_2 = 0$ ), the continuity conditions request  $V_0 = 0.196151$  and  $V_1 = 0.142676$  and the surface state is localized around the interface  $x = x_1$ ; see Fig. 3(b). If  $R = 0.0696$ , the continuity conditions request  $V_0 = 0.123884$  and  $V_1 = 0.147421$  and the surface state is almost equally localized around  $x = x_0$  and  $x = x_1$ ; see Fig. 3(c).

Another typical double-interface system is a constant refractive index  $V_0$  sandwiched by two truncated periodic systems  $V(\eta, -\Delta, N, x)$  and  $V(\eta, \Delta, N, x)$  [28–30]. The corresponding refractive index profile is in form of

$$V_4(\eta, \Delta, N, x) = \begin{cases} V(\eta, -\Delta, N, x), & x \leq x_0 & \text{(region I),} \\ V_0, & x_0 < x < x_1 & \text{(region II),} \\ V(\eta, \Delta, N, x), & x \geq x_1 & \text{(region III).} \end{cases}$$

Thus, we have  $\psi_I(x) = C_1 \psi_N^{m_1}(\eta, -\Delta, x)$  in region I,  $\psi_{II}(x) = C_2^- \exp[-\sqrt{V_0 - \beta_N^{m_1}} x] + C_2^+ \exp[+\sqrt{V_0 - \beta_N^{m_1}} x]$  in region II, and  $\psi_{III}(x) = C_3 \psi_N^{m_1}(\eta, \Delta, x)$  in region III. The continuity conditions request

$$\frac{W_N^{m_1}(\eta, \Delta, x_1)}{\sqrt{V_0 - \beta_N^{m_1}}} = \frac{R \exp[2\sqrt{V_0 - \beta_N^{m_1}} x_1] - 1}{R \exp[2\sqrt{V_0 - \beta_N^{m_1}} x_1] + 1}, \quad (11)$$

with

$$R = \frac{C_2^+}{C_2^-} = \frac{\sqrt{V_0 - \beta_N^{m_1}} + W_N^{m_1}(\eta, -\Delta, x_0)}{\sqrt{V_0 - \beta_N^{m_1}} - W_N^{m_1}(\eta, -\Delta, x_0)} \times \exp[-2\sqrt{V_0 - \beta_N^{m_1}} x_0].$$




FIG. 4. (Color online) Surface states in a double-interface system described by  $V_4(\eta, \Delta, N, x)$  with  $\eta = 0.3$ ,  $\Delta = 0.1$ , and  $N = 0$ . (a)  $x_0 = -\pi/2$ ,  $x_1 = \pi$ ,  $V_0 = 0.13$ , and  $R = 0.0255412$ . (b)  $x_0 = -7\pi/6$ ,  $x_1 = \pi/2$ ,  $V_0 = 0.120845$ , and  $R = 254.28$ . (c)  $x_0 = -\pi/2$ ,  $V_0 = 0.30$ , and  $R = 1.0$ .

In Fig. 4, we show two surface states for  $\eta = 0.3$ ,  $\Delta = 0.1$ , and  $N = 0$ . The surface waves strongly depend on the two interface positions. For  $x_0 = -\pi/2$  and  $x_1 = \pi$  [or  $x_0 = -7\pi/6$  and  $x_1 = \pi/2$ ], the surface state has an asymmetric distribution; see Fig. 4(a) [or Fig. 4(b)]. While for  $x_0 = -\pi/2$  and  $x_1 = \pi/2$ , it becomes symmetric; see Fig. 4(c).

## V. CONCLUSION

In conclusion, by using the superpositions of finite numbers of unstable Bloch states for the corresponding infinite periodic systems, we have given an efficient approach for constructing a special class of exact surface states in photonic superlattices. These exact surface states have the same propagation constants for the finite-superposition states in the energy gaps and so they are a kind of stable in-gap state. This method has been used to find parts of the exact surface states in several typical systems involving a single interface or two interfaces. By matching two solutions (a finite-superposition solution and a free-space solution or two finite-superposition solutions) at two sides of the interfaces, the existence conditions for surface states are obtained analytically from the continuity conditions. The existence and the shapes of the exact surface states depend not only on the interface parameters but also on the lattice parameters. Our results give an analytical demonstration of the existence of the surface states and should shine light on understanding and ways to control surface waves.

## ACKNOWLEDGMENTS

The authors acknowledge Yuri S. Kivshar for his valuable comments. This work is supported by the NBRPC under Grant No. 2012CB821300 (2012CB821305), the NNSFC under Grants No. 10905019 and No. 11075223, the PC-SIRT under Grant No. IRT0964, the NCETPC under Grant No. NCET-10-0850, the Construct Program of the National Key Discipline and the Fundamental Research Funds for Central Universities of China.



**APPENDIX: DERIVATION OF THE BLOCH-WAVE SOLUTIONS  $\psi_N^{m_1}(\eta, \Delta, x)$**

Below, we give more details about how to derive the in-gap solutions

$$\begin{aligned} \psi_N^{m_1}(\eta, \Delta, x) &= \exp \left[ i \left( \frac{N}{2} + i \frac{\Delta}{2} \right) x - 2\eta \cos x \right] \\ &\times \sum_{n=0}^N \left( \frac{a_n(\beta_N^{m_1})}{2} \{ \exp[-inx] + \exp[-i(N-n)x] \} \right. \\ &\left. + i \frac{b_n(\beta_N^{m_1})}{2} \{ \exp[-inx] - \exp[-i(N-n)x] \} \right). \quad (\text{A1}) \end{aligned}$$

for the Schrödinger equation

$$-\frac{d^2}{dx^2} \psi(x) + V(x)\psi(x) = \beta \psi(x), \quad (\text{A2})$$

with

$$\begin{aligned} V(x) &= -n'_1 \cos(2x) + n'_2 \cos(x + \theta) \\ &= -n'_1 \cos(2x) + n'_2 \cos \theta \cos x - n'_2 \sin \theta \sin x. \end{aligned}$$

In general, the in-gap solutions stay at the edges of Brillouin zones and the imaginary parts of their wave numbers are continuous in a finite region [26,27]. To find the explicit expression for a specific set of in-gap solutions, we apply the following transformation:

$$\xi = \exp[-ix], \quad (\text{A3})$$

$$\psi(x) = \exp[-\sqrt{2n'_1} \cos x] \xi^\lambda \phi(\xi), \quad (\text{A4})$$

with

$$\lambda = \frac{\sqrt{2n'_1} - n'_2 \cos \theta - in'_2 \sin \theta}{2\sqrt{2n'_1}}.$$

Apparently, the parameter  $-\lambda$  denotes a complex wave number. From the Schrödinger Eq. (A2), we have

$$\begin{aligned} \xi^2 \frac{d^2 \phi}{d\xi^2} + \left[ \sqrt{2n'_1} - \sqrt{2n'_1} \xi^2 + (2\lambda + 1)\xi \right] \frac{d\phi}{d\xi} \\ + \left[ \lambda^2 - \beta - n'_1 - \left( \sqrt{2n'_1} - n'_2 \cos \theta \right) \xi \right] \phi = 0. \quad (\text{A5}) \end{aligned}$$

By writing the solution for  $\phi(\xi)$  as a standard power-series expansion,

$$\phi(\xi) = \sum_{n=0}^{\infty} d_n \xi^n, \quad (\text{A6})$$

one can easily find that the coefficients  $d_n$  are determined by a three-term recurrence relation,

$$c_0(n)d_n + c_1(n)d_{n+1} + c_2(n)d_{n+2} = 0, \quad (\text{A7})$$

with the initial condition  $d_0 = 1$  and  $d_{-1} = 0$ , where

$$\begin{aligned} c_0(n) &= n'_2 \cos \theta - \sqrt{2n'_1}(n+1), \\ c_1(n) &= (n+1)(n+2\lambda+1) + \lambda^2 - n'_1 - \beta, \\ c_2(n) &= \sqrt{2n'_1}(n+2). \end{aligned}$$

Usually, the solution (A6) is an infinite series. However, similar to the procedure of obtaining the Hermite polynomials for a harmonic oscillator, one can impose the truncation condition  $d_j = 0$  with  $j \geq N+1$  and then the solution (A6) becomes a finite series. If  $d_{N+1} = 0$  and  $d_{N+2} = 0$ , we can get all following  $d_j = 0$  with  $j > N+2$ .

To obtain  $d_{N+1} = 0$ , from the three-term recurrence relation (A7) with  $n = N-1$ , we have

$$c_0(N-1)d_{N-1} + c_1(N-1)d_N = 0. \quad (\text{A8})$$

For a given periodic lattice, due to  $d_N$  is a polynomial of degree  $N$  in  $\beta$ , this equation requests that the propagation constant  $\beta$  must be a solution for a polynomial of degree  $N+1$  in  $\beta$ .

To obtain  $d_{N+2} = 0$ , from the three-term recurrence relation (A7) with  $n = N$ , the coefficient  $c_0(N)$  should satisfy

$$c_0(N) = n'_2 \cos \theta - \sqrt{2n'_1}(N+1) = 0. \quad (\text{A9})$$

Clearly, this equation requires a special relation between the lattice parameters  $n'_1$ ,  $n'_2$ , and  $\theta$ .

Therefore, under the conditions (A8) and (A9), the series solution  $\phi(\xi)$  becomes a polynomial,

$$\phi_N(\xi) = \sum_{n=0}^N d_n(\beta_N^{m_1}) \xi^n. \quad (\text{A10})$$

After some mathematical calculation, we get the following in-gap solution

$$\begin{aligned} \psi(x) &= \exp \left[ i \left( \frac{N}{2} + i \frac{n'_2 \sin \theta}{2\sqrt{2n'_1}} \right) x - \sqrt{2n'_1} \cos x \right] \\ &\times \sum_{n=0}^N d_n(\beta_N^{m_1}) \exp[-inx]. \quad (\text{A11}) \end{aligned}$$

Here,  $\beta_N^{m_1}$  denotes  $m_1$ -th real zero of  $d_{N+1} = 0$  in ascending order. It is clear that  $\psi(x)$  are Bloch-wave solutions with the complex wave numbers  $k = -\lambda = N/2 + i \frac{n'_2 \sin \theta}{2\sqrt{2n'_1}}$ . If  $\sqrt{2n'_1} = 2\eta$ ,  $n'_2 \cos \theta = 2\eta(N+1)$ , and  $n'_2 \sin \theta = 2\eta\Delta$ , we have  $n'_1 = 2\eta^2$ ,  $n'_2 = 2\eta\sqrt{(N+1)^2 + \Delta^2}$  and  $\theta = \arctan[\Delta/(N+1)]$ . The complex wave number is given as

$$k = \frac{N}{2} + i \frac{\Delta}{2}. \quad (\text{A12})$$

Due to  $V(x)$  is a real function, we can take the real part of  $\psi(x)$  as a solution of Eq. (A2)

$$\begin{aligned} \psi_N^{m_1}(\eta, \Delta, x) &= \exp \left[ i \left( \frac{N}{2} + i \frac{\Delta}{2} \right) x - 2\eta \cos x \right] \\ &\times \sum_{n=0}^N \left( \frac{a_n(\beta_N^{m_1})}{2} \{ \exp[-inx] + \exp[-i(N-n)x] \} \right. \\ &\left. + i \frac{b_n(\beta_N^{m_1})}{2} \{ \exp[-inx] - \exp[-i(N-n)x] \} \right), \quad (\text{A13}) \end{aligned}$$

where  $d_n(\beta_N^{m_1}) = a_n(\beta_N^{m_1}) + ib_n(\beta_N^{m_1})$ . This completes the derivation of Bloch-wave solutions (A1).

In the following, we show how to give the in-gap waves for the cases of  $N = 0$  and  $N = 1$ . For the case of  $N = 0$ , from Eq. (A8) with  $N = 0$ , we have

$$\begin{aligned} c_1(-1)d_0 &= \lambda^2 - n'_1 - \beta \\ &= -\frac{\Delta^2}{4} - 2\eta^2 - \beta = 0. \end{aligned} \quad (\text{A14})$$

This equation has only one real root,  $\beta_0^1 = -(\Delta^2 + 8\eta^2)/4$ . From Eq. (A1) with  $N = 0$ , the corresponding in-gap state is given as

$$\psi_0^1(\eta, \Delta, x) = \exp\left[-\frac{\Delta}{2}x - 2\eta \cos x\right]. \quad (\text{A15})$$

For the case of  $N = 1$ , from Eq. (A8) with  $N = 1$ , we have

$$c_0(0)d_0 + c_1(0)d_1 = 0. \quad (\text{A16})$$

Given  $c_0(0) = 2\eta$ ,  $c_1(0) = -(\Delta + i)^2/4 - 2\eta^2 - \beta$ , and  $d_1 = (\beta + (\Delta - i)^2/4 + 2\eta^2)/2\eta$ , we have

$$[\beta + (\Delta + i)^2/4 + 2\eta^2][\beta + (\Delta - i)^2/4 + 2\eta^2] - 4\eta^2 = 0. \quad (\text{A17})$$

This equation have two real roots,  $\beta_1^1(\eta, \Delta) = (1 - \Delta^2 - 8\eta^2 - 2\sqrt{16\eta^2 - \Delta^2})/4$  and  $\beta_1^2(\eta, \Delta) = (1 - \Delta^2 - 8\eta^2 +$

$2\sqrt{16\eta^2 - \Delta^2})/4$ . For  $\beta_1^1(\eta, \Delta)$ , we have  $a_0 = 1$ ,  $b_0 = 0$ ,  $a_1 = -\sqrt{16\eta^2 - \Delta^2}/4\eta$ , and  $b_1 = -\Delta/4\eta$ , therefore the corresponding in-gap state reads as

$$\begin{aligned} \psi_1^1(\eta, \Delta, x) &= \exp\left(-\frac{\Delta}{2}x - 2\eta \cos x\right) \\ &\times \left[\frac{4\eta - \sqrt{16\eta^2 - \Delta^2}}{4\eta} \cos\left(\frac{x}{2}\right) - \frac{\Delta}{4\eta} \sin\left(\frac{x}{2}\right)\right]. \end{aligned} \quad (\text{A18})$$

Similarly, for  $\beta_1^2(\eta, \Delta)$ , we have  $a_0 = 1$ ,  $b_0 = 0$ ,  $a_1 = \sqrt{16\eta^2 - \Delta^2}/4\eta$ , and  $b_1 = -\Delta/4\eta$ . The corresponding in-gap state reads as

$$\begin{aligned} \psi_1^2(\eta, \Delta, x) &= \exp\left(-\frac{\Delta}{2}x - 2\eta \cos x\right) \\ &\times \left[\frac{4\eta + \sqrt{16\eta^2 - \Delta^2}}{4\eta} \cos\left(\frac{x}{2}\right) - \frac{\Delta}{4\eta} \sin\left(\frac{x}{2}\right)\right]. \end{aligned} \quad (\text{A19})$$

- 
- [1] I. E. Tamm, *Phys. Z. Sowjetunion* **1**, 733 (1932).  
[2] T. B. Grimley and B. W. Holland, *Proc. Phys. Soc. London* **78**, 217 (1961).  
[3] W. Shockley, *Phys. Rev.* **56**, 317 (1939).  
[4] P. Stats, *Z. Naturforsch. A* **5**, 534 (1950).  
[5] B. A. Lippmann, *Ann. Phys. (NY)* **2**, 16 (1957).  
[6] H. Ohno, E. E. Mendez, J. A. Brum, J. M. Hong, F. Agulló-Rueda, L. L. Chang, and L. Esaki, *Phys. Rev. Lett.* **64**, 2555 (1990).  
[7] T. Miller and T.-C. Chiang, *Phys. Rev. Lett.* **68**, 3339 (1992).  
[8] M. Zahler, E. Cohen, J. Salzman, E. Linder, and L. N. Pfeiffer, *Phys. Rev. Lett.* **71**, 420 (1993).  
[9] J. Bellessa, C. Bonnard, J. C. Plenet, and J. Mugnier, *Phys. Rev. Lett.* **93**, 036404 (2004).  
[10] T. Goto, A. V. Dorofeenko, A. M. Merzlikin, A. V. Baryshev, A. P. Vinogradov, M. Inoue, A. A. Lisyansky, and A. B. Granovsky, *Phys. Rev. Lett.* **101**, 113902 (2008); T. Goto, A. V. Baryshev, M. Inoue, A. V. Dorofeenko, A. M. Merzlikin, A. P. Vinogradov, A. A. Lisyansky, and A. B. Granovsky, *Phys. Rev. B* **79**, 125103 (2009).  
[11] V. Heine, *Surf. Sci.* **2**, 1 (1964); *Phys. Rev.* **138**, A1689 (1965).  
[12] F. Forstmann and V. Heine, *Phys. Rev. Lett.* **24**, 1419 (1970).  
[13] J. D. Levine, *Phys. Rev.* **171**, 701 (1968).  
[14] M. Stešlicka, R. Kucharczyk, and M. L. Glasser, *Phys. Rev. B* **42**, 1458 (1990); R. Kucharczyk, M. Stešlicka, E.-H. El Boudouti, A. Akjouj, L. Dobrzynski, and B. Djafari-Rouhani, *Czech. J. Phys.* **47**, 421 (1997); R. Kucharczyk, M. Stešlicka, B. Brzostowski, and B. Djafari-Rouhani, *Phys. E* **5**, 280 (2000).  
[15] J. D. Levine and P. Mark, *Phys. Rev.* **182**, 926 (1969).  
[16] R. H. Yu, *Phys. Rev. B* **47**, 15692 (1993).  
[17] H. K. Sy and T. C. Chua, *Phys. Rev. B* **48**, 7930 (1993).  
[18] N. Malkova and C. Z. Ning, *Phys. Rev. B* **73**, 113113 (2006); **76**, 045305 (2007).  
[19] P. Yeh, A. Yariv, and A. Y. Cho, *Appl. Phys. Lett.* **32**, 104 (1978).  
[20] N. Malkova, I. Hromada, X. Wang, G. Bryant, and Z. Chen, *Opt. Lett.* **34**, 1633 (2009); *Phys. Rev. A* **80**, 043806 (2009).  
[21] A. V. Kavokin, I. A. Shelykh, and G. Malpuech, *Phys. Rev. B* **72**, 233102 (2005).  
[22] A. B. Khanikaev, A. V. Baryshev, M. Inoue, and Y. S. Kivshar, *Appl. Phys. Lett.* **95**, 011101 (2009).  
[23] A. P. Vinogradov, A. V. Dorofeenko, A. M. Merzlikin, and A. A. Lisyanskii, *Phys. Usp.* **53**, 243 (2010).  
[24] G. Della Valle, M. Ornigotti, E. Cianci, V. Foglietti, P. Laporta, and S. Longhi, *Phys. Rev. Lett.* **98**, 263601 (2007).  
[25] K. Shandarova, C. E. Ruter, D. Kip, K. G. Makris, D. N. Christodoulides, O. Peleg, and M. Segev, *Phys. Rev. Lett.* **102**, 123905 (2009).  
[26] W. Kohn, *Phys. Rev.* **15**, 809 (1959).  
[27] V. Heine, *Proc. Phys. Soc.* **81**, 300 (1993).  
[28] A. P. Vinogradov, A. V. Dorofeenko, S. G. Erokhin, M. Inoue, A. A. Lisyansky, A. M. Merzlikin, and A. B. Granovsky, *Phys. Rev. B* **74**, 045128 (2006).  
[29] G. Lenz and J. Salzman, *Appl. Phys. Lett.* **56**, 871 (1990).  
[30] G. Ihm, S. K. Noh, M. L. Falk, and K. Y. Lim, *J. Appl. Phys.* **72**, 5325 (1992).