Self-consistent Overhauser model for the pair distribution function of an electron gas in dimensionalities $D=3$ and $D=2$

B. Davoudi,^{1,2} M. Polini,¹ R. Asgari,^{1,2} and M. P. Tosi¹

¹NEST-INFM and Classe di Scienze, Scuola Normale Superiore, I-56126 Pisa, Italy 2 *Institute for Studies in Theoretical Physics and Mathematics, Tehran 19395-5531, Iran*

(Received 23 January 2002; revised manuscript received 17 April 2002; published 13 August 2002)

We present self-consistent calculations of the spin-averaged pair distribution function $g(r)$ for a homogeneous electron gas in the paramagnetic state in both three and two dimensions, based on an extension of a model that was originally proposed by Overhauser [Can. J. Phys. 73, 683 (1995)] and further evaluated by Gori-Giorgi and Perdew [Phys. Rev. B 64, 155102 (2001)]. The model involves the solution of a two-electron scattering problem via an effective Coulombic potential, which we determine within a self-consistent Hartree approximation. We find numerical results for $g(r)$ that are in excellent agreement with quantum Monte Carlo data at low and intermediate coupling strength r_s , extending up to $r_s \approx 10$ in dimensionality $D=3$. However, the Hartree approximation does not properly account for the emergence of a first-neighbor peak at stronger coupling, such as at $r_s = 5$ in $D=2$, and has limited accuracy in regard to the spin-resolved components $g_{\uparrow\uparrow}(r)$ and $g_{\uparrow\downarrow}(r)$. We also report calculations of the electron-electron *s*-wave scattering length, to test an analytical expression proposed by Overhauser in $D=3$ and to present new results in $D=2$ at moderate coupling strength. Finally, we indicate how this approach can be extended to evaluate the pair distribution functions in inhomogeneous electron systems and hence to obtain improved exchange-correlation energy functionals.

DOI: 10.1103/PhysRevB.66.075110 PACS number(s): 71.10.Ca, 71.45.Gm

I. INTRODUCTION

Many of the electron-electron interaction effects in simple metals and semiconductors can be understood by reference to the homogeneous electron-gas model. A central role is played by the electron-pair distribution function $g(r)$, which describes how short-range exchange and correlations enter to determine the probability of finding two electrons at a relative distance $r¹$. The mean potential energy of the electron gas can be calculated from $g(r)$ and hence, through an integration over its dependence on the coupling strength, the total energy as well. Thus, an accurate knowledge of this function is crucial for applications of density functional theory² (DFT) in various schemes that have been proposed to transcend the local density approximation (LDA) in the construction of exchange and correlation energy functionals.³

A precise definition of $g(r)$ is through the average number of electrons contained in a spherical shell of radius *r* and thickness *dr* centered on an electron at the origin, which is given by $ng(r)\Omega_D r^{D-1}dr$ where *D* is the space dimensionality, *n* the electron density, and Ω_D the solid angle in *D* dimensions (with $\Omega_2 = 2\pi$ and $\Omega_3 = 4\pi$). In fact, *g*(*r*) is the average of the distribution functions for parallel- and antiparallel-spin electron pairs, $g(r) = [g_{\uparrow\uparrow}(r) + g_{\uparrow\downarrow}(r)]/2$. While this spin average reflects the charge-charge correlations in the electron gas, the spin-spin correlations are described by the difference distribution function $g_d(r)$ $=[g_{\uparrow\uparrow}(r)-g_{\uparrow\downarrow}(r)]/2.^4$

Early calculations of the pair distribution functions in the $three-dimensional(3D)$ electron gas were based on the use of a Bijl-Jastrow correlated wave function for the ground state⁵ and on exploiting the fluctuation-dissipation theorem for a self-consistent determination from the charge and spin response functions.⁶ These early results were validated with the advent of quantum Monte Carlo (QMC) techniques,⁷ which have produced a wealth of accurate data on correlation and response functions over a wide range of coupling strength for both the $3D$ (Refs. 7 and 8) and $2D$ (Ref. 9) cases. The QMC data have in turn stimulated a number of further theoretical studies.

Here we are specifically concerned with the approach proposed by Overhauser¹⁰ for the evaluation of the value $g(0)$ of the pair distribution function at contact. While $g_{\uparrow\uparrow}(0)$ vanishes on account of the Pauli principle, $g_{\uparrow\downarrow}(0)$ is determined by the two-body scattering events and in Overhauser's model was obtained from the solution of an effective Schrodinger equation for the relative motion of two electrons with antiparallel spins. Earlier work had demonstrated an exact cusp condition¹¹ relating the logarithmic derivative of $g_{\uparrow\downarrow}(r)$ at contact to the Bohr radius and had emphasized the importance of the electron-electron ladder diagrams¹² in evaluating $g_{\uparrow\downarrow}(0)$. The approach of Overhauser has subsequently been used to evaluate $g_{\uparrow\downarrow}(0)$ in the 2D electron gas¹³ and has been extended by Gori-Giorgi and Perdew¹⁴ to evaluate $g(r)$ at finite *r* in 3D through an accurate numerical solution of Overhauser's two-body Schrödinger equation. Their results are in good agreement with QMC data in the short-range part of $g(r)$.

In the present work we further develop this approach to the evaluation of the pair distribution functions by (i) adopting a self-consistent Hartree scheme for the determination of the effective potential entering the two-body Schrödinger equation and (ii) carrying out calculations for both a 3D and a 2D electron gas. The paper is organized as follows. Section II presents the essential theoretical background, and Sec. III reports and discusses our numerical results. In Sec. IV we indicate how this approach could be extended to evaluate pair correlations in an inhomogeneous electron gas and hence to obtain improved exchange-correlation energy functionals for applications of DFT. A brief summary concludes the paper in Sec. V.

II. ESSENTIAL THEORY

Following the work of Overhauser 10 and of Gori-Giorgi and Perdew, 14 we aim to solve the two-electron scattering problem in some effective interaction potential $V(r)$ (assumed to be independent of the spin state of the electron pair) in order to determine the wave functions $\Psi_{k,K}^{\top}(\mathbf{r},\mathbf{R})$ and $\Psi_{\mathbf{k},\mathbf{K}}^{\dagger\downarrow}(\mathbf{r},\mathbf{R})$ for the parallel- and antiparallel-spin states. Here, $\mathbf{r} = \mathbf{r}_1 - \mathbf{r}_2$ and $\mathbf{R} = (\mathbf{r}_1 + \mathbf{r}_2)/2$ are the relative coordinate and the center-of-mass coordinate of the pair, the conjugate momenta being **k** and **K**. The spin-resolved pair distribution functions $g_{\sigma\sigma'}(r)$ can then be obtained as

$$
g_{\sigma\sigma'}(r) = \langle \langle |\Psi_{\mathbf{k},\mathbf{K}}^{\sigma\sigma'}(\mathbf{r},\mathbf{R})|^2 \rangle_{\theta} \rangle_{p(k)},
$$
 (1)

where $\langle \langle \cdots \rangle_{\theta} \rangle_{p(k)}$ represents averages over the scattering angle and over the probability $p(k)$ of finding two electrons with relative momentum *k* in the electron gas,

$$
\langle \langle \mathcal{O} \rangle_{\theta} \rangle_{p(k)} = (1/\Omega_D) \int_0^{k_F} dk p(k) \int d\Omega_D \mathcal{O}. \tag{2}
$$

The function $p(k)$ can be calculated from the momentum distribution $n(k)$, ^{14,15} using

$$
p(k) = \frac{\Omega_D k^{D-1}}{n^2 (2 \pi)^D} \int \frac{d^D \mathbf{q}}{(2 \pi)^D} n(q) n(|\mathbf{q} + \mathbf{k}|). \tag{3}
$$

The prefactor in front of the integral is obtained from the condition that $p(k)$ should integrate to unity.

The pair wave functions can be written in the form of angular momentum expansions

$$
\Psi_{\mathbf{k},\mathbf{K}}^{\dagger\uparrow}(\mathbf{r},\mathbf{R}) = \sqrt{2} \frac{\exp(i \mathbf{K} \cdot \mathbf{R})}{r^{(D-1)/2}} \sum_{\ell=1 \text{ (odd)}}^{\infty} i^{\ell} \mathcal{A}_{\ell}^{(D)}(\theta) \Phi_{\ell,\mathbf{k}}^{(D)}(r) \tag{4}
$$

and

$$
\Psi_{\mathbf{k},\mathbf{K}}^{\uparrow\downarrow}(\mathbf{r},\mathbf{R}) = \frac{\exp(i \mathbf{K} \cdot \mathbf{R})}{r^{(D-1)/2}} \left[\Phi_{0,\mathbf{k}}^{(D)}(r) + \sum_{\ell=1}^{\infty} i^{\ell} \mathcal{A}_{\ell}^{(D)}(\theta) \Phi_{\ell,\mathbf{k}}^{(D)}(r) \right],
$$
\n(5)

where $A^{(3)}_{\ell}(\theta) = (2\ell + 1)P_{\ell}(\cos \theta)$ in terms of the Legendre polynomial $P_{\ell}(x)$ and $A_{\ell}^{(2)}(\theta) = 2\cos(\ell \theta)$. In Eq. (4) the sum over ℓ runs over odd integers, because the spinor associated with the ↑↑ state is symmetric and hence the coordinate part of the wave function has to be antisymmetric under exchange. The spinor associated with the ↑↓ state has instead no definite symmetry and hence the sum in Eq. (5) runs over all integer values of ℓ . Upon performing the angular average in Eq. (1) one obtains

$$
g_{\uparrow\uparrow}(r) = \frac{2}{r^{D-1}} \sum_{\ell=1 \text{ (odd)}}^{\infty} \mathcal{B}_{\ell}^{(D)} \langle |\Phi_{\ell,\mathbf{k}}^{(D)}(r)|^2 \rangle_{p(k)} \qquad (6)
$$

and

$$
g_{\uparrow\downarrow}(r) = \frac{1}{r^{D-1}} \Bigg\{ \langle |\Phi_{0,\mathbf{k}}^{(D)}(r)|^2 \rangle_{p(k)} + \sum_{\ell=1}^{\infty} \frac{\beta_{\ell}^{(D)} \langle |\Phi_{\ell,\mathbf{k}}^{(D)}(r)|^2 \rangle_{p(k)} \Bigg\},\tag{7}
$$

where $\mathcal{B}_{\ell}^{(3)} = 2\ell + 1$ and $\mathcal{B}_{\ell}^{(2)} = 2$. Finally, the Schrödinger equation for the wave function $\Phi^{(D)}_{\ell, \mathbf{k}}(r)$ is

$$
\left\{-\frac{\hbar^2}{2\mu}\frac{d^2}{dr^2} + \frac{1}{2\mu r^2} \left[\mathbf{L}_D^2 + \frac{\hbar^2}{4}(D-1)(D-3)\right] + V(r)\right\}\Phi_{\ell,\mathbf{k}}^{(D)}(r) = \frac{\hbar^2 k^2}{2\mu} \Phi_{\ell,\mathbf{k}}^{(D)}(r),
$$
\n(8)

where $\mu = m/2$ is the reduced mass of the electron pair, L_3^2 $= \hbar^2 \ell(\ell+1)$ with $\ell = 0,1,2,...$, and $\mathbf{L}_2^2 = \hbar^2 \ell^2$ with *l* $=0,\pm 1,\pm 2, \ldots$ [the negative values of ℓ are accounted for by the choice $\mathcal{B}_{\ell}^{(2)} = 2$ in Eqs. (6) and (7)]. In solving Eq. (8) we impose as a boundary condition that $\Phi_{\ell, \mathbf{k}}^{(D)}(r)$ tend asymptotically to the free solution *[i.e., the one which is obtained* by setting $V(r)=0$ except for a phase shift.

The form of Eq. (6) ensures that the relation $g_{\uparrow\uparrow}(0)=0$ is satisfied, since all functions $\Phi_{/k}^{(D)}(r)$ vanish at the origin for $l \neq 0$. The cusp condition on $g_{\uparrow\downarrow}(r)$ reads $d\ln g_{\uparrow\downarrow}(r)/dr|_{r=0}$ $=1/a_B$ in $D=3$ and $d\ln g_{\uparrow\downarrow}(r)/dr|_{r=0} = 2/a_B$ in $D=2$: following the argument given by Kimball,¹¹ it will be satisfied if *V*(*r*) tends to the bare Coulomb potential for $r \rightarrow 0$. It is also easily seen¹⁴ that the Hartree-Fock results for $g_{\uparrow\uparrow}(r)$ and $g_{\uparrow\downarrow}(r)$ are recovered if $V(r)$ is set to zero in Eq. (8). Given a general scattering potential $V(r)$, there is no guarantee that the charge neutrality condition

$$
n\int d^D \mathbf{r}[g(r)-1] = -1 \tag{9}
$$

is satisfied. We have numerical evidence that Eq. (9) is fulfilled for our choice of $V(r)$ (see Sec. II A). The accuracy with which this happens depends in practice on the numerical solution of Eq. (8) and thus on the number of angular momentum states that are included in Eqs. (4) and (5) .¹⁶

Before proceeding to present our choice for the potential $V(r)$ in Eq. (8), we report the expressions for the probability function $p(k)$ introduced in Eq. (3) . Using the momentum distribution $n(k) = \theta(k_F - k)$ for the free Fermi gas, one obtains

$$
p_0(k) = 24\frac{k^2}{k_F^3} - 36\frac{k^3}{k_F^4} + 12\frac{k^5}{k_F^6}
$$
 (10)

in $D=3$ (Ref. 14) and

SELF-CONSISTENT OVERHAUSER MODEL FOR THE . . . PHYSICAL REVIEW B **66**, 075110 ~2002!

$$
p_0(k) = \frac{16 k}{\pi k_F^2} \left[\arccos\left(\frac{k}{k_F}\right) - \frac{k}{k_F} \sqrt{1 - \frac{k^2}{k_F^2}} \right] \tag{11}
$$

in $D=2$ (Ref. 15). We have also evaluated $p(k)$ for interacting electrons using QMC data on the momentum distribution from the work of Ortiz and Ballone⁸ in 3D and of Conti¹⁷ in 2D. However, this led to only small changes in the pair distribution functions reported in Sec. III with the help of Eqs. (10) and (11) .

A. Hartree potential and self-consistency

Overhauser's proposal¹⁰ for calculating $g(0)$ in the 3D case was to approximate $V(r)$ by the electrical potential of a model consisting of an electron at the origin and a neutralizing sphere of uniformly distributed charge with radius $r_{\alpha}a_B$ $=$ $(4 \pi n/3)^{-1/3}$. Gauss's law ensures that *V(r)* vanishes outside the sphere, and an approximate solution of the scattering problem could be obtained by an iterative procedure. In the work of Gori-Giorgi and Perdew¹⁴ the same model for $V(r)$ was adopted to evaluate $g(r)$, but a full solution of the Schrödinger equation (8) was achieved. In the 2D case with e^{2}/r interaction, on the other hand, the potential outside a uniformly charged disk of radius $r_s a_B = (\pi n)^{-1/2}$ with an electron at its center does not vanish, since the electrical force field extends outside the plane in which the electrons are moving. A more refined model is therefore necessary.¹³

Here we approximate $V(r)$ in Eq. (8) by the Hartree potential due to the whole distribution of electrical charge and evaluate it with the help of Poisson's equation. More precisely, in the 3D case $V(r)$ is taken to satisfy the equation

$$
\Delta_r V(r) = -4 \pi e^2 [\delta(r) + n(g(r) - 1)], \tag{12}
$$

where Δ_r is the radial Laplace operator. The appropriate Poisson equation for the Hartree potential $V_H(r, z)$ in the 2D case, with *r* the radial distance in the electron plane and *z* the vertical distance from the plane, is

$$
\left(\Delta_r + \frac{d^2}{dz^2}\right) V_H(r, z) = -4\pi e^2 \left[\delta(r) + n(g(r) - 1)\right] \delta(z)
$$
\n(13)

and what is needed is $V(r) = V_H(r,0)$. Evidently, by solving Eq. (8) in conjunction with Eq. (12) or Eq. (13) we obtain a self-consistent determination of the effective potential and of the radial distribution function.

The solution of Eq. (12) and Eq. (13) is easily obtained by introducing Fourier transforms. We define the structure factor $S(k)$ through the relation

$$
S(k) = 1 + n \int d^{D} \mathbf{r}[g(r) - 1] \exp(-i\mathbf{k} \cdot \mathbf{r}).
$$
 (14)

It is then easily seen that the Fourier transform of $V(r)$ $\left[\tilde{V}(k), \text{say}\right]$ is given by

where $v(k) = 4 \pi e^2/k^2$ in $D = 3$ and $v(k) = 2 \pi e^2/k$ in *D* $=$ 2. To prove Eq. (15) in the 2D case, we notice that the Fourier transform of $V_H(r, z)$ from Eq. (13) is

$$
\widetilde{V}_{\mathrm{H}}(k, k_{z}) = \frac{4\,\pi e^{2}}{k^{2} + k_{z}^{2}} S(k),\tag{16}
$$

so that

$$
\widetilde{V}_{\mathrm{H}}(k,z) \equiv \int \frac{dk_z}{2\,\pi} e^{ik_z z} \widetilde{V}_{\mathrm{H}}(k,k_z) = \frac{2\,\pi e^2}{k} e^{-k|z|} S(k) \tag{17}
$$

and $\tilde{V}(k) = \tilde{V}_{\text{H}}(k, z=0) = 2 \pi e^2 S(k)/k$.

Let us examine the asymptotic behaviors of the effective potential $\tilde{V}(k)$ given in Eq. (15). At large momenta the structure factor *S*(*k*) tends to unity, so that $\tilde{V}(k) \rightarrow v(k)$ and $V(r)$ tends to the bare Coulomb potential in the limit $r \rightarrow 0$. As already remarked, this property ensures that the cusp condition on $g(r)$ is satisfied. In the limit $k \rightarrow 0$, on the other hand, charge neutrality ensures the validity of the plasmon sum rule, which may be written in the form

$$
\lim_{k \to 0} S(k) = \varepsilon_k / \hbar \, \omega_{\text{pl}},\tag{18}
$$

where $\varepsilon_k = \hbar^2 k^2 / 2m$ and ω_{pl} is the leading term in the plasmon dispersion relation, given by $\omega_{\text{pl}} = (4 \pi n e^2/m)^{1/2}$ in 3D and by $\omega_{\text{pl}} = (2 \pi n e^2 k/m)^{1/2}$ in 2D. Therefore,

$$
\lim_{k \to 0} \widetilde{V}(k) = \hbar \, \omega_{\text{pl}}/2n \tag{19}
$$

in both dimensionalities. That is, the Fourier transform of our choice for the effective scattering potential tends in the longwavelength limit to a constant in $D=3$ and to zero with a $k^{1/2}$ law in $D=2$.

B. *s***-wave scattering length**

We complete this discussion by showing how the *s*-wave scattering length $a_{sc}(r_s)$ can be evaluated from the numerical solution of the electron-electron scattering problem. The *s*-wave phase shift $\delta_0(k)$ is introduced through the largedistance behavior of the two-particle scattering state with *l* $=0$ at fixed momentum *k*,

$$
\Phi_{0,\mathbf{k}}^{(D)}(r) \sim \cos \left[kr - (D-1)\frac{\pi}{4} + \delta_0(k) \right].
$$
 (20)

From $\delta_0(k)$ the scattering length is obtained by the requirement that the wave function outside the range of the potential should vanish at $r = a_{\rm sc}$. In $D = 3$ this yields from Eq. (20) the well-known relation

$$
a_{\rm sc}(r_s) = -\lim_{k \to 0} \frac{\delta_0(k)}{k}.\tag{21}
$$

A simple analytical expression for $a_{\rm sc}(r_s)$ in the 3D electron gas is available from the work of Overhauser:¹⁰

FIG. 1. The pair distribution function in a 3D electron gas at $r_s = 10$, as a function of $r/(r_s a_B)$. The results of the self-consistent Hartree approximation (solid line) are compared with QMC data [crosses, from Ortiz *et al.* (Ref. 8)] and with the results of calculations by Gori-Giorgi and Perdew (Ref. 14) (dotted line).

$$
a_{\rm sc}(r_s) = r_s a_B \frac{r_s/10}{1 + 3r_s/8}.
$$
 (22)

The introduction of the concepts of effective range and scattering length is much more delicate in $D=2$. In the work of Verhaar *et al.*¹⁸ the H-H atomic scattering problem was analyzed in detail. The most appropriate form of the outer wave function in 2D is

$$
\Phi_{0,\mathbf{k}}^{(2)}(r) \sim \exp[i\,\delta_0(k)]\cos[\,\delta_0(k)]\{J_0(kr) - \tan[\,\delta_0(k)]\,N_0(kr)\},\tag{23}
$$

in terms of the Bessel functions $J_0(x)$ and $N_0(x)$. The relation between scattering length and phase shift thus is $\tan[\delta_0(k)] = J_0(ka_{\rm sc})/N_0(ka_{\rm sc})$, taking at low energy a form which is the same as for the scattering of two hard spheres of radius $a_{\rm sc}$,

$$
\cot[\delta_0(k)] = (2/\pi) [\gamma + \ln(ka_{sc}/2)] + o(k^2), \quad (24)
$$

where γ is Euler's constant, $\gamma = 0.577 215 665 \dots$. In Sec. III we determine the scattering length for the 2D electron gas by fitting the expression in Eq. (24) to the phase shift obtained from the asymptotic behavior of the two-electron wave function as a function of *k* at low energy. An analytical expression for $a_{\rm sc}$ in the strong-coupling limit has been given by Polini *et al*. 13

III. NUMERICAL RESULTS

We report in Figs. 1–5 our numerical results for the pair distribution functions and for the self-consistent scattering potential. Starting with the 3D system, Fig. 1 shows the spinaveraged $g(r)$ at $r_s = 10$, in comparison with the QMC data reported by Ortiz *et al*. ⁸ The results obtained by Gori-Giorgi

FIG. 2. Self-consistent scattering potential *V*(*r*) in the Hartree approximation (in units of $\hbar^2 k_F^2 / m$), as a function of $r / (r_s a_B)$ in 3D $^{(top)}$ and in 2D $^{(bottom)}$. The Overhauser potential in 3D $(Ref. 10)$ at $r_s = 10$ and the result of the work of Polini *et al.* (Ref. 13) in 2D at $r_s = 5$ are reported for comparison (dotted lines).

and Perdew¹⁴ within the same theoretical scheme, but with Overhauser's choice for the effective potential $V(r)$, are also shown in Fig. 1. It is seen from the figure that both choices of *V*(*r*) yield excellent agreement with the QMC data for the short-range part of the electron-electron correlations, up to $r/(r_{s}a_{B})\approx 1$. However, the self-consistent calculation based on the use of the Hartree potential becomes definitely superior at large distance, where (at this intermediate value of the coupling strength) it continues to be in excellent agreement with the data. The Hartree potential at self-consistency is shown in Fig. 2, for both the 3D and 2D cases. We may also remark that the cusp condition is satisfied by our numerical results in both cases.

With further increase in the coupling strength the pair distribution function from the QMC work starts developing a first-neighbor peak, and this behavior is not reproduced

FIG. 3. The pair distribution function in a 2D electron gas at $r_s = 1$ and $r_s = 5$, as a function of $r/(r_s a_B)$. The results of the self-consistent Hartree approximation (solid line) are compared with QMC data [crosses, from Tanatar and Ceperley $(Ref. 9)$].

quantitatively by the theory. This is illustrated in Fig. 3 for the electron gas in $D=2$. As is well known, the reduction in dimensionality enhances the role of the electron-electron correlations: this is also clear from comparing the scattering potentials in the two panels in Fig. 2. While in 2D the selfconsistent theory remains quite accurate at moderate coupling strength as is shown by the comparison with the QMC data of Tanatar and Ceperley⁹ at $r_s = 1$ in the left-hand panel in Fig. 3, quantitative differences from the QMC data are seen to arise at $r_s = 5$ (right-hand panel in Fig. 3).

The other aspect of the theory that needs testing concerns the quality of its predictions in regard to the spin-resolved pair distribution functions. This point is examined in Fig. 4 for the 3D system at $r_s = 5$ and 10, using the QMC data of Ortiz *et al.* as analyzed by Gori-Giorgi *et al.*⁸ The discrepancies between theory and simulation are reasonably small at these values of the coupling strength. It is evident from the figure that these discrepancies largely cancel out in taking the spin avarage, but will be magnified when one calculates the difference distribution function $g_d(r)$. Similar theoretical results are shown in Fig. 5 for the 2D system.

Finally, in Figs. 6 and 7 we report our results for the *s*-wave scattering length as a function of coupling strength r_s . For the 3D system the simple analytical formula obtained by Overhauser¹⁰ and reported in Eq. (22) is seen in the top panel in Fig. 6 to give a very good account of our results. Results for the 2D electron gas at moderate coupling strength are shown in the bottom panel in Fig. 6, while Fig. 7 shows how they have been obtained by fitting the expression (24) to our numerical results for the phase shift in *s* wave as a function of momentum at low momenta. It may be remarked that the magnitude of $\delta_0(k)$ in the present electron-electron scattering in 2D is smaller than that in the H-H scattering problem studied by Verhaar *et al*. ¹⁸ by a factor of about 2. This yields, however, huge differences in the magnitude of the scattering length. Our results in the bottom panel in Fig. 6

FIG. 4. The spin-resolved pair distribution functions in a 3D electron gas at $r_s = 5$ and r_s $=10$. The results of the self-consistent Hartree approximation (solid lines) are compared with the QMC data [crosses, from Gori-Giorgi et al. $(Ref. 8)$].

FIG. 5. The spin-resolved pair distribution functions in a 2D electron gas at $r_s = 1$ and r_s $=$ 5, from the self-consistent Hartree approximation.

should thus be regarded as being very sensitive to the details of the theory and hence as having limited quantitative value.

IV. EXTENSION TO INHOMOGENEOUS SYSTEMS

In this section we briefly indicate how the approach that we have presented in Sec. II could be extended to deal with the pair distribution function in an inhomogeneous electron system, subject to an external scalar potential $V_{ext}(\mathbf{r})$.

The electron-electron correlations are described in such a system by an inhomogeneous pair distribution function, $g(\mathbf{r}, \mathbf{r}')$, say. The exchange and correlation energy functional is given by

$$
E_{\rm xc} = \frac{1}{2} \int d^D \mathbf{r} \int d^D \mathbf{r}' \, n(\mathbf{r}) n(\mathbf{r}') \left[\bar{g}(\mathbf{r}, \mathbf{r}') - 1 \right] v(|\mathbf{r} - \mathbf{r}'|),\tag{25}
$$

where $n(r)$ is the inhomogeneous electron density and $\overline{g}(\mathbf{r}, \mathbf{r}')$ is obtained from $g(\mathbf{r}, \mathbf{r}')$ by an integration over the coupling strength at fixed $n(r)$ (see, for instance, the book by Dreizler and Gross⁴). The calculation of $g(\mathbf{r}, \mathbf{r}')$ by means of a two-electron scattering problem remains in this case a genuine two-body problem. It requires for each spin state solution of the equation

$$
\begin{aligned}\n&\left[-\frac{\hbar^2}{2m}(\Delta_{\mathbf{r}_1} + \Delta_{\mathbf{r}_2}) + V_{\text{ext}}(\mathbf{r}_1, \mathbf{r}_2) + V(\mathbf{r}_1, \mathbf{r}_2)\right] \Phi_{\epsilon_{12}}(\mathbf{r}_1, \mathbf{r}_2) \\
&= \epsilon_{12} \Phi_{\epsilon_{12}}(\mathbf{r}_1, \mathbf{r}_2),\n\end{aligned} \tag{26}
$$

where $\Delta_{\bf r}$ is the Laplace operator, $V_{\rm ext}({\bf r}_1, {\bf r}_2) = V_{\rm ext}({\bf r}_1)$ $V_{ext}(\mathbf{r}_2)$, and $V(\mathbf{r}_1, \mathbf{r}_2)$ is the effective electron-electron potential. The Hartree approximation on the effective potential, leading to

$$
V(\mathbf{r}_1, \mathbf{r}_2) = v(|\mathbf{r}_1 - \mathbf{r}_2|) + \int d^D \mathbf{r}' [n(\mathbf{r}') g(\mathbf{r}_1, \mathbf{r}')
$$

$$
- n_b(\mathbf{r}')] v(|\mathbf{r}' - \mathbf{r}_2|), \qquad (27)
$$

provides an approximate self-consistent closure of the problem transcending the usual LDA or other approaches that appeal to the exchange-correlation hole of the homogeneous electron gas. In the previous equation (27) , $n_b(\mathbf{r}')$ is the density of the background.

Finally, a relation between $g(\mathbf{r}, \mathbf{r}')$ and the two-electron scattering states $\Phi_{\epsilon_{12}}(\mathbf{r}, \mathbf{r}')$ is needed. This relation can in general be written in the following form:

$$
g_{\sigma\sigma'}(\mathbf{r}, \mathbf{r}') = \sum_{\epsilon_{12}, \text{ occup.}} \Gamma_{\epsilon_{12}}^{\sigma\sigma'} |\Phi_{\epsilon_{12}}(\mathbf{r}, \mathbf{r}')|^2, \qquad (28)
$$

where the sum runs over all the occupied levels ϵ_{12} . The appropriate degeneracy factor $\Gamma_{\epsilon_{12}}^{\sigma\sigma'}$ for the eigenvalue ϵ_{12} is zero in the case $\sigma = \sigma'$, if $\Phi_{\epsilon_1}(\mathbf{r}, \mathbf{r}')$ is symmetric under the exchange $\mathbf{r} \leftrightarrow \mathbf{r}'$.

For building the exchange and correlation energy functional in Eq. (25) , one needs to calculate the pair distribution function at each given coupling strength λ by repeating the procedure outlined above with $v(|\mathbf{r}_1 - \mathbf{r}_2|) = \lambda/|\mathbf{r}_1 - \mathbf{r}_2|$. The density profile $n(r)$ is needed at full coupling strength and requires to be obtained by a parallel DFT procedure. The pair distribution function at full strength is, in itself, a very interesting quantity.

FIG. 6. The *s*-wave scattering length as a function of r_s , in units of the Bohr radius. Top panel: the result of the self-consistent Hartree approximation for the 3D electron gas (solid line) is compared with the analytical result of Overhauser $(Ref. 10)$ in Eq. (22) (dashed line). Bottom panel: results from the self-consistent Hartree approximation for the 2D electron gas.

As an example of application of such scheme, we would like to mention the problem of a finite number of electrons confined in a quantum dot.¹⁹ In this case the eigenvalues ϵ_{12} are discrete and the summation procedure reported in Eq. (28) corresponds to filling the lowest energy states with all the available electrons.

Another problem of interest is represented by a system of electrons confined in a quantum well in cases where the electron dynamics is important also in the growth direction so that the confinement cannot be handled by a simple reduction to 2D. Compared to the previous example, the summation procedure is in this case more involved. The difficulty comes from the fact that the motion in the transverse direction is free, and this implies that for each subband in the growth direction there is a dispersion in the transverse direction associated with the in-plane momentum. Examples of such

FIG. 7. The *s*-wave phase shift in the 2D electron gas at various values of r_s , as a function of reduced momentum k/k_F at low momenta. Solid lines: from the numerical solution of the selfconsistent Hartree approximation. Dashed lines: from Eq. (24) with the values of the scattering length shown in the right-hand panel in Fig. 6.

physical systems, which are in a sense intermediate between 3D and 2D, have been discussed for instance by Ullrich and Vignale²⁰ and by Luin *et al.*²¹

More generally, the possibility of testing theories of the exchange-correlation hole and of the exchange-correlation energy density in strongly inhomogenous electronic systems is opening up through novel applications of variational QMC methods.²

V. SUMMARY

In this work we have proposed an extension of Overhauser's model for the electron-electron correlations in the 3D electron gas on the basis of a self-consistent Hartree approximation for the electron-electron scattering potential. We have confirmed that the model is quite accurately describing the short-range part of the exchange-correlation hole, as already demonstrated by Gori-Giorgi and Perdew,¹⁴ and shown that it can be usefully extended to cover the full range of interelectronic separation over an appreciable range of values of the coupling strength. As already noted in Sec. III, the accuracy of the present Hartree approximation is limited to the range of values of *rs* below the development of a first-neighbor peak in the pair distribution function. We have also shown that the original proposal of Overhauser yields a very accurate analytical formula for the electron-electron scattering length and indicated how this approach could be extended to deal with the exchange-correlation hole in an inhomogeneous electron gas, leading perhaps to more accurate descriptions of the exchange-correlation energy functional.

We have examined the usefulness of this approach in describing the exchange-correlation hole in the 2D electron gas and the spin-resolved pair distribution functions in the 3D electron gas. As may be expected, the Hartree approximation is quantitatively useful in 2D over a more limited range of coupling strength and has more limited accuracy in regard to the splitting of the exchange-correlation hole into its paralleland antiparallel-spin components. With regard to these spinresolved pair functions, however, we feel that it is quite remarkable that a Hartree approximation should already work as well as it does in our calculations. We may hope that major changes will not be needed to explicitly include manybody exchange corrections in the electron-electron scattering potential.

We have also given some attention to the determination of the electron-electron scattering length in the 2D electron gas. As is generally true for 2D systems, the logarithmic dependence of the *s*-wave phase shift on ka_{sc} at very low energy makes this problem a very delicate one. We have shown that

the proposal made by Verhaar *et al*. ¹⁸ in the context of an atom-atom scattering process is just as useful in regard to electron-electron scattering.

We are currently examining how the Hartree scattering potential may be supplemented by explicit inclusion of corrections accounting for many-body exchange and correlations, with the main aims of (i) improving the quantitative account of the spin-resolved components of the exchangecorrelation hole and (ii) studying how a first-neighbor shell emerges with increasing coupling strength.

ACKNOWLEDGMENT

This work was partially supported by MIUR through the PRIN2001 program.

- ¹For reviews focused on many-body aspects of electron-gas theory, see K.S. Singwi and M.P. Tosi, in *Solid State Physics* edited by H. Ehrenreich, F. Seitz, and D. Turnbull (Academic, New York, 1981), Vol. 36, p. 177; S. Ichimaru, Rev. Mod. Phys. 54, 1017 (1982); M. P. Tosi, in *Electron Correlation in the Solid State*, edited by N. H. March (Imperial College Press, London, 1999), p. 5.
- 2^2 P. Hohenberg and W. Kohn, Phys. Rev. 136, B864 (1964); W. Kohn and L.J. Sham, Phys. Rev. 140, A1133 (1965); O. Gunnarsson and B.I. Lundqvist, Phys. Rev. B 13, 4724 (1976); S. Lundqvist and N.H. March, *Theory of Inhomogeneous Electron Gas* (Plenum, New York, 1983); E.K.U. Gross and W. Kohn, Adv. Quantum Chem. 21, 255 (1990).
- 3O. Gunnarsson, M. Jonson, and B.I. Lundqvist, Phys. Rev. B **20**, 3136 (1979); J.P. Perdew and A. Zunger, *ibid.* 23, 5048 (1981); E. Chacon and P. Tarazona, *ibid.* 37, 4013 (1988); J.P. Perdew, K. Burke, and Y. Wang, *ibid.* 54, 16 533 (1996); J.P. Perdew, K. Burke, and M. Ernzerhof, Phys. Rev. Lett. 77, 3865 (1996); 78, 1396 (1997).
- ⁴U. von Barth and L. Hedin, J. Phys. C 5, 1629 (1972); M.M. Pant and A.K. Rajagopal, Solid State Commun. **10**, 1157 (1972); R.M. Dreizler and E.K.U. Gross, *Density Functional Theory, An Approach to the Quantum Many-Body Problem* (Springer, Berlin, 1990).
- 5 L.J. Lantto and P.J. Siemens, Nucl. Phys. A 317 , 55 (1979); L.J. Lantto, Phys. Rev. B 22, 1380 (1980).
- 6 K.S. Singwi, M.P. Tosi, R.H. Land, and A. Sjölander, Phys. Rev. 176, 589 (1968); R. Lobo, K.S. Singwi, and M.P. Tosi, *ibid.* 186, 470 (1969).
- 7 D.M. Ceperley and B.J. Alder, Phys. Rev. Lett. **45**, 566 (1980); B.J. Alder, D.M. Ceperley, and E.L. Pollock, Int. J. Quantum Chem. **16**, 49 (1982).
- ⁸G. Ortiz and P. Ballone, Phys. Rev. B **50**, 1391 (1994); **56**, 9970

~1997!; G. Ortiz, M. Harris, and P. Ballone, Phys. Rev. Lett. **82**, 5317 (1999); P. Gori-Giorgi, F. Sacchetti, and G.B. Bachelet, Phys. Rev. B 61, 7353 (2000).

- ⁹B. Tanatar and D.M. Ceperley, Phys. Rev. B 39, 5005 (1989); S. Moroni, D.M. Ceperley, and G. Senatore, Phys. Rev. Lett. **69**, 1837 (1992); F. Rapisarda and G. Senatore, Aust. J. Phys. 49, 161 (1996); D. Varsano, S. Moroni, and G. Senatore, Europhys. Lett. **53**, 348 (2001); C. Attaccalite, S. Moroni, P. Gori-Giorgi, and G. Bachelet, Phys. Rev. Lett. 88, 256601 (2002).
- 10 A.W. Overhauser, Can. J. Phys. **73**, 683 (1995).
- ¹¹ J.C. Kimball, Phys. Rev. A 7, 1648 (1973).
- 12 H. Yasuhara, Solid State Commun. **11**, 1481 (1972) ; B.B.J. Hede and J.P. Carbotte, Can. J. Phys. 50, 1756 (1972).
- ¹³M. Polini, G. Sica, B. Davoudi, and M.P. Tosi, J. Phys.: Condens. Matter 13, 3591 (2001).
- 14 P. Gori-Giorgi and J.P. Perdew, Phys. Rev. B 64 , 155102 (2001).
- 15P. Ziesche, J. Tao, M. Seidl, and J.P. Perdew, Int. J. Quantum Chem. 77, 819 (2000).
- 16 In our calculations we have found that satisfying Eq. (9) at the level of a percent may require as many as 40 angular momentum states in 3D and even more in 2D.
- ¹⁷S. Conti, Ph.D. thesis, Scuola Normale Superiore, Pisa, 1997.
- 18B.J. Verhaar, J.R.H.W. van den Eijnde, M.A.J. Voermans, and M.M.J. Schaffrath, J. Phys. A 17, 595 (1984).
- 19L.P. Kouwenhoven, D.G. Austing, and S. Tarucha, Rep. Prog. Phys. 64, 701 (2001) and references therein; L. Jacak, P. Hawrylak, and A. Wojs, *Quantum Dots* (Springer, Berlin, 1998).
- 20 C.A. Ullrich and G. Vignale, Phys. Rev. Lett. **87**, 037402 (2001) and references therein.
- 21S. Luin, V. Pellegrini, F. Beltram, X. Marcadet, and C. Sirtori, Phys. Rev. B 64, 041306 (2001) and references therein.
- 22M. Nekovee, W.M.C. Foulkes, and R.J. Needs, Phys. Rev. Lett. **87**, 036401 (2001).