

Resonator design for use in scanning tunneling spectroscopy studies of surface electron lifetimes

S. Crampin

Department of Physics, University of Bath, Bath BA2 7AY, United Kingdom

H. Jensen, J. Kröger, L. Limot, and R. Berndt

Institut für Experimentelle und Angewandte Physik, Christian-Albrechts-Universität zu Kiel, D-24098 Kiel, Germany

(Received 4 January 2005; revised manuscript received 24 March 2005; published 15 July 2005)

We derive expressions for the lossy boundary-scattering contribution to the linewidth of surface electronic states confined with atomic corrals and island resonators. Correcting experimentally measured linewidths for these contributions along with thermal and instrumental broadening enables intrinsic many-body lifetimes due to electron-electron and electron-phonon scattering to be determined. In small resonators lossy-scattering dominates linewidths while different scaling of widths and separations cause levels to merge in large resonators. Our results enable the design of resonators suitable for lifetime studies.

DOI: 10.1103/PhysRevB.72.035443

PACS number(s): 73.20.At, 79.60.Jv, 72.10.Fk, 73.21.-b

I. INTRODUCTION

The dynamics of hot electrons and holes at surfaces have attracted considerable attention in recent years, not least due to their importance in photochemistry and charge-transfer processes such as electronically induced adsorbate reactions. A particular focus has been the study of quasiparticle lifetimes associated with excitations in the band of surface-localized electronic states found at the (111) surfaces of the noble metals, which have become a testing ground for new theoretical, computational, and experimental methods aimed at developing a deeper fundamental understanding of quasiparticle dynamics.¹ Theoretically, much progress has been made towards a quantitative account of inelastic electron-electron^{2,3} (*e-e*) and electron-phonon⁴ (*e-p*) interactions of these states, while techniques such as scanning tunneling microscopy^{5,6} (STM) and spectroscopy⁷ (STS), and photoelectron spectroscopy⁸ have been used to construct a steadily increasing database of experimentally determined lifetimes. The lifetimes of excitations with energies spanning just a few tenths of an eV have been shown to reflect a wealth of key surface physics: intraband and interband scattering processes, spatially dependent and *d*-electron screening, defect-scattering processes, electron-phonon interactions with Rayleigh (surface) and bulk phonons, and their temperature dependencies.

Lifetime studies using STM can be divided into two approaches: those which exploit the phase coherence of quantum interference patterns^{5,6} and those based upon line shape analysis.⁷ The line shape method uses spectroscopic measurements of the differential conductivity dI/dV at a fixed position above the surface, and relies upon the presence of spectral structure that contains a signature of the quasiparticle lifetime. On pristine surfaces the only such feature is the band-edge onset, so that only the lifetime of excitations at this energy are accessible. However, electron confinement to natural or artificial nanoscale electron resonators, such as those shown in Fig. 1, results in energy quantization, inducing spectral structure in the form of a series of resonant levels at energies that can be controlled through changes in the

dimensions and geometry of the resonator. The quasiparticle lifetime is then reflected in the level widths,^{10,11} but additional contributions arise due to lossy boundary scattering that must be accounted for if line shape analysis is to be used to determine the intrinsic quasiparticle lifetime. In this paper we provide analytic and numerical results for the linewidths of electrons confined by different nanoscale resonators, and discuss their use in lifetime studies using STS.

The starting point of our analyses is the equation satisfied by the single-particle Green's function $G(\mathbf{r}, \mathbf{r}')$ (Ref. 12)

$$\left(-\frac{\hbar^2 \nabla^2}{2m^*} + V - E + i \text{Im} \Sigma_1 \right) G(\mathbf{r}, \mathbf{r}') = -\delta(\mathbf{r} - \mathbf{r}'), \quad (1)$$

where \mathbf{r} is a two-dimensional position vector, m^* the effective mass, and E the electron energy with respect to the surface-state band minimum. The validity of this framework for describing confined surface-state systems has been established in many studies.^{6,11,13,14} Confinement is due to the potential V , which in general will remain unspecified. Only the scattering properties of V are relevant. These quantities can be calculated using *ab initio* methods, or, as we assume here, measured experimentally. We also include an inelastic potential or self-energy $i \text{Im} \Sigma_1(E)$ to account for the effects of *e-e* and *e-p* scattering. This is related to the lifetime τ_1 associated with these processes by $\tau_1 = -\hbar / (2 \text{Im} \Sigma_1)$.¹ The local density-of-surface states (LDOS) is obtained from the Green's function as $\rho(\mathbf{r}; E) = -(2/\pi) \text{Im} G(\mathbf{r}, \mathbf{r})$ (the 2 is for spin degeneracy). We associate the LDOS with dI/dV in the usual way.¹⁵ In Sec. II we consider circular atomic corral resonators, and in Sec. III circular adatom and vacancy islands. Noncircular resonators are discussed in Sec. IV. Contributions to experimentally measured linewidths arising from thermal broadening and instrumental effects are described in Sec. V, and in Sec. VI we illustrate how the results of our analyses may be used to identify appropriate resonator structures for lifetime studies.

II. ATOMIC CORRALS

Atomic corrals are artificial structures in which individual adatoms are positioned with atomic scale precision into




FIG. 1. Nanoscale electron resonators used in lifetime studies. (a) Pseudo-three-dimensional representation of a constant-current STM image of a rectangular corral approximately $9 \text{ nm} \times 10 \text{ nm}$ constructed from 28 Mn atoms on Ag(111). In order to enhance the atomic structure the intensity is plotted on a logarithmic scale. The standing-wave pattern inside is due to electron confinement.⁹ (b) Gray scale representation of a constant-current STM image of a $240 \text{ nm} \times 240 \text{ nm}$ region of a Ag(111) surface showing numerous hexagonal monatomic vacancy islands. Surface-state electrons are confined within these islands by strong scattering at the step edges of the vacancies.

closed geometries.^{6,11,16,17} Strong scattering of the surface-state electrons by the surrounding adatoms leads to confinement. The “standard model” for describing these systems is the s -wave scattering model,¹³ in which the solution to (1) is given by^{11,13}

$$G(\mathbf{r}, \mathbf{r}') = G_0(\mathbf{r}, \mathbf{r}') + \sum_{j,k} G_0(\mathbf{r}, \mathbf{R}_j) T^{jk} G_0(\mathbf{R}_k, \mathbf{r}'), \quad (2a)$$

$$T^{jk} = t \delta_{jk} + t \sum_{l \neq j} G_0(\mathbf{R}_j, \mathbf{R}_l) T^{lk}. \quad (2b)$$

The sums in Eq. (2) are over the N identical adatoms at locations \mathbf{R}_j , $j=0, 1, \dots, N-1$, which are characterized by the scattering t matrix $t = (i/m^*) (\exp 2i\delta - 1)$, where δ is the phase shift. G_0 denotes the free-electron propagator¹²

$$G_0(\mathbf{r}, \mathbf{r}') = -\frac{im^*}{2\hbar^2} H_0^{(1)}(\kappa|\mathbf{r} - \mathbf{r}'|), \quad (3)$$

where $H_0^{(1)}$ is a Hankel function of the first kind¹⁸ and $\kappa = \sqrt{2m^*(E - i \text{Im} \Sigma_1)/\hbar^2}$. In the case of a circular corral, and taking $\mathbf{R}_j = S(\cos \vartheta_j, \sin \vartheta_j)$, $\vartheta_j = 2\pi j/N$, when both \mathbf{r} and \mathbf{r}' are at the center of the corral

$$G - G_0 = \left(-\frac{im^*}{2\hbar^2} H_0^{(1)}(\kappa S) \right)^2 \frac{N}{t^{-1} - \mathcal{G}} \quad (4)$$

and the LDOS at the corral center is

$$\rho = \rho_0 + \frac{2N}{\pi} \left(\frac{m^*}{2\hbar^2} \right)^2 \text{Im} \frac{[H_0^{(1)}(\kappa S)]^2}{t^{-1} - \mathcal{G}}, \quad (5)$$

where $\rho_0 = (m^*/\pi\hbar^2)[1 - (2/\pi)\arg \kappa]$ is the clean surface LDOS (Ref. 7) and

$$\mathcal{G} = -\frac{im^*}{2\hbar^2} \sum_{j=1}^{N-1} H_0^{(1)}(\kappa|\mathbf{R}_j - \mathbf{R}_0|) \quad (6a)$$

$$\approx -\frac{im^*}{2\hbar^2} [NJ_0(\kappa S)H_0^{(1)}(\kappa S) - \mathcal{C}]. \quad (6b)$$

The last result follows using $|\mathbf{R}_j - \mathbf{R}_0| = 2S \sin \vartheta_j/2$ and replacing the sum by an integral over $\pi/N \leq \vartheta \leq 2\pi - \pi/N$, which is valid for wavelengths greater than the adatom spacing, or $N \gtrsim \kappa S$.¹⁹ J_0 is a Bessel function¹⁸ and $\mathcal{C} = 1 + (2i/\pi) \times [\ln(\kappa/4\mu) + \gamma - 1]$, with $\gamma = 0.577 215 664 9\dots$ (Euler's constant). We have introduced $\mu = N/2\pi S$, the linear density of atoms making up the corral. Poles in the Green's function which correspond to bound electron states that have amplitude at the center of the corral occur when $t^{-1} = \mathcal{G}$. Using the asymptotic forms¹⁸ for J_0 , $H_0^{(1)}$ gives the condition as

$$e^{2i\kappa S - i\pi/2} + 1 = \Omega(\kappa), \quad (7a)$$

$$\Omega(\kappa) = \frac{\kappa}{2\mu} \left[\mathcal{C} + \left(-\frac{im^* t}{2\hbar^2} \right)^{-1} \right]. \quad (7b)$$

In the limit $\mu \rightarrow \infty$ the solutions to Eq. (7) are when $\kappa = \kappa_n = (n\pi - \pi/4)/S$, corresponding to a series of resonances at energies

$$E_n = \frac{\hbar^2(n\pi - \pi/4)^2}{2m^* S^2} \quad (8)$$

and with widths (full width at half maximum)

$$\Gamma_{ln} = -2 \text{Im} \Sigma_l(E_n) = \hbar/\tau_l(E_n). \quad (9)$$

This is the “hard-wall” limit, where the surface-state wave function vanishes at the radius of the corral.¹⁶ The exact energies in this limit have the same form as Eq. (8) but with $(n\pi - \pi/4)$ [$=2.36, 5.50, 8.64$ for $n=1, 2, 3$] replaced by the n th zero¹⁸ of the Bessel function J_0 , $j_{0,n}$ ($=2.40, 5.52, 8.65$ for $n=1, 2, 3$). This close agreement validates the use of asymptotic forms in obtaining (7).

In the hard-wall limit (9) shows that the resonance widths are directly related to the inelastic e - e and e - p scattering




FIG. 2. Calculated level widths for Fe corrals on Cu(111) using $\text{Im} \Sigma_1=0, m^*=0.38m_e, im^*t=1, E_0=-0.44$ eV. (Ref. 13). Squares and lozenges denote values found solving Eq. (7) by Newton-Raphson iteration for $N=48, S=71.3$ Å, and $N=96, S=142.6$ Å, respectively. Circles denote values found by nonlinear least-square fitting of a series of Lorentzians to the LDOS given by Eq. (5) for $N=48, S=142.6$ Å. The lines are plots of $(\hbar^2 \kappa / m^* S) \text{Re} \ln[1 - \Omega(\kappa)]$, $\kappa = \sqrt{2m^*(E - E_0) / \hbar^2}$ for the respective corral parameters.

rates at the energy of the level. However, in practice there are physical limits to how large the linear adatom density μ can become, with $\mu \leq d_{nn}^{-1}$ where d_{nn} is the nearest-neighbor separation of surface atoms. Consequently the confinement is always less effective than in the hard-wall limit, which results in increased level widths. Solving (7) to first order in this case yields level widths

$$\Gamma_n = \Gamma_{ln} + \Gamma_{Cn}, \quad (10)$$

where

$$\Gamma_{Cn} \approx \frac{\hbar^2 \kappa_n}{m^* S} \text{Re} \ln[1 - \Omega(\kappa_n)]. \quad (11)$$

This is the contribution to the level widths due to lossy scattering by the corral adatoms. Figure 2 shows the typical behavior of Γ_C , showing results for Fe corrals on Cu(111) of various sizes and linear adatom densities. The accuracy of the approximations made in obtaining the expression in Eq. (11) are confirmed by the close agreement to be found between the level widths predicted by it and with those found by fitting the LDOS (5) with a series of Lorentzians or from iterative solution to (7). The general trend to be observed in the level widths is that they increase almost linearly with energy but are approximately halved by simultaneously doubling the radius and the number of atoms in the boundary ring.

III. ADATOM AND VACANCY ISLANDS

In a second class of resonators confinement results from scattering at ascending or descending steps. These are adatom or vacancy islands.²⁰⁻²³ In these systems the scattering properties of the confining step are conveniently characterized by a reflection coefficient R .¹⁴

Assuming circular symmetry, with S now the island radius, the Green's function can be expanded as

$$G(\mathbf{r}, \mathbf{r}'; E) = \frac{1}{2\pi} \sum_M G_M(\varrho, \varrho'; E) e^{iM(\varphi - \varphi')}. \quad (12)$$

Substituting into Eq. (1) gives for $\varrho, \varrho' < S$

$$\varrho^2 \frac{\partial^2 G_M}{\partial \varrho^2} + \varrho \frac{\partial G_M}{\partial \varrho} + (\kappa^2 \varrho^2 - M^2) G_M = \frac{2m^*}{\hbar^2} \varrho \delta(\varrho - \varrho'). \quad (13)$$

Solving by the direct method gives for $\varrho < \varrho' < S$

$$G_M(\varrho, \varrho'; E) = \frac{i\pi m^*}{\hbar^2 [A_M - 1]} J_M(\kappa \varrho) \Psi_M(\kappa \varrho'), \quad (14)$$

where J_M is a Bessel function and $\Psi_M(z) = H_M^{(1)}(z) + A_M H_M^{(2)}(z)$, a linear combination of Hankel functions. The coefficient A_M is chosen to ensure that Ψ_M satisfies the scattering boundary conditions at S .

Identifying the energy levels from the poles in the Green's function, we see from Eq. (14) that these arise whenever $A_M = 1$. Only circularly symmetric states contribute to the local density of states at the center of the island [$J_M(0) = 0$ for $M \neq 0$] so that the energy levels that can be seen by STS measurements at the center of islands occur when $A_0 = 1$. Using the asymptotic forms for the Hankel functions

$$\begin{aligned} \Psi_0(\kappa \varrho) &\sim \sqrt{\frac{2}{\pi \kappa \varrho}} [e^{i(\kappa \varrho - \pi/4)} + A_0 e^{-i(\kappa \varrho - \pi/4)}] \\ &\propto [e^{i\kappa(\varrho - S)} + R e^{-i\kappa(\varrho - S)}], \end{aligned} \quad (15)$$

that is, one can recognize within Ψ_0 waves incident and reflected from the confining potential, enabling the coefficient A_0 to be related to the planar reflection coefficient R of the step at the island edge. Using this relationship and equating A_0 to 1 gives

$$R e^{2i\kappa S} e^{-i\pi/2} - 1 = 0 \quad (16)$$

as the condition for bound states visible in STS at the center of islands. Assuming confinement sufficient to give an identifiable series of resonant levels, and writing $R = |R| \exp i\phi_R$, Eq. (16) predicts their energies as

$$E_n = \frac{\hbar^2(n\pi + \pi/4 - \phi_R/2)^2}{2m^* S^2} \quad (17)$$

and corresponding widths

$$\Gamma_n = \Gamma_{ln} + \Gamma_{Rn}, \quad (18)$$

where

$$\Gamma_{Rn} \approx -\frac{\hbar^2}{m^*} \sqrt{\frac{2m^* E_n \ln|R|}{\hbar^2 S}}. \quad (19)$$

The hard-wall limit in this case is $R \rightarrow -1$, which ensures that the wave function (15) vanishes at S . In this limit (17) coincides with Eq. (8) and $\Gamma_{Rn} = 0$ so that once again the resonance widths are directly related to the inelastic $e-e$ and $e-p$ scattering rates. In reality, scattering at real steps has




FIG. 3. Calculated level widths for circular Ag vacancy islands using $\text{Im } \Sigma_I=0$, $m^*=0.42$, and $E_0=-67$ meV, for island radii 75 Å (squares), 150 Å (circles), and 300 Å (lozenges). The lines are plots of $-(\hbar^2/m^*S)\sqrt{2m^*(E-E_0)/\hbar^2} \ln|R|$ for the respective island radii. The inset shows the reflection coefficient used in the calculation (line), along with the experimental values from Ref. 14.

been found to be lossy, so that $|R| < 1$, and then Eq. (19) enables the estimation of the resulting additional contribution to the level width Γ_R . Figure 3 shows widths found by solving Eq. (16) for variously sized Ag vacancy islands using an energy-dependent step reflection coefficient fitted to experimentally determined values,¹⁴ along with the widths expected using the approximate expression (19). The agreement is again very good. The widths show similar behavior to those in the atomic corrals, increasing approximately linearly with energy and inversely proportional to the island radius.

IV. NONCIRCULAR RESONATORS

Equations (11) and (19) enable the ready determination of the lossy scattering contribution to the spectral linewidths of electron states in circular resonators. In terms of lifetime studies, circular resonators have two distinct advantages. Firstly, the high symmetry results in the sparsest spectrum, which simplifies the extraction of linewidths. This point is discussed more fully below. Secondly, it is not generally possible to obtain an analytic expression for the spectral linewidths in the case of noncircular resonators. Nevertheless, noncircular resonators are important, for example the atomic structure of the (111) surfaces favors the natural formation of triangular and hexagonal resonators.

Figure 4 shows the calculated linewidths due to lossy boundary scattering of electron states with amplitude at the center of a 72 Fe atom triangular corral on Cu(111), side $d=220.5$ Å. An analytic treatment for this geometry is not possible, and so these widths have been obtained by fitting a series of Lorentzians to the local density of states which is obtained by numerically evaluating the Green's function using Eqs. (2a) and (2b). The resonant levels occur at energies that are close to those of the hard wall limit, $E_{p,q} = 8\pi^2\hbar^2(p^2+q^2+pq)/(3m^*d^2)$, where $p=1,2,3,\dots$, $0 \leq q \leq p-1$, and $p-q \neq 3 \times \text{integer}$.²⁵ Also shown in the figure is




FIG. 4. Calculated level widths (squares) found by nonlinear least-squares fitting of a series of Lorentzians to the local density of states at the center of a triangular corral, side 220.5 Å constructed from 72 Fe atoms on Cu(111) (the structure reported in Ref. 24). Calculation parameters: $\text{Im } \Sigma_I=0$, $m^*=0.38$, $im^*t=1$, $E_0=-0.44$ eV. The lines are plots of the circular corral linewidth relationship, Eq. (11), for the dashed line, radius 81.9 Å and the solid line, radius 63.7 Å. The inset shows the atomic structure of the triangular corral, and the size of the two circles.

the linewidth relation [Eq. (11)] for *circular* corrals with radii $S=81.9$ Å, corresponding to the same area as the triangular corral, and $S=63.7$ Å, corresponding to the largest enclosed circle. In each case in evaluating (7b) we have used for μ , the linear density of corral atoms, the value from the actual triangular corral, $\mu=72/(3d)$. The widths in the same-area circular corral underestimate the triangular corral widths by $\approx 25\%$, but those for the inscribed circular corral provide a good description. Calculations on other hexagonal and rectangular resonators confirm this result. The lossy scattering contribution to the level widths at the center of noncircular resonators are approximately given by the appropriate circular resonator width relation (11) and (19), using for the radius that of the largest enclosed circle. Therefore when *designing* potential resonator structures for lifetime studies, lossy boundary-scattering effects can be estimated using these expressions, although more detailed calculations taking into account the actual geometry are needed for subsequent *quantitative* analysis of experimental spectra.

V. THERMAL AND INSTRUMENTAL EFFECTS

For completeness, we note that in addition to the lossy-scattering contribution, the experimental linewidth also includes contributions due to instrumental and thermal effects. These must also be borne in mind when considering the use of resonators for lifetime determinations. The thermal broadening is induced by the temperature dependence of the Fermi-Dirac distribution function,¹⁵ which enters via the requirement that electrons tunnel in STS from occupied states in the tip (sample) to unoccupied states in the sample (tip). The effect on the differential conductivity is to convolve with the derivative of the Fermi-Dirac distribution,




FIG. 5. (a) Thermal broadening function, resulting from the temperature dependence of the occupation of electron states. (b) Instrumental broadening associated with the use of a modulating voltage and lock-in technique for recording the differential conductivity.

$$\chi_T(V) = \chi_T(0) \cosh^{-2}(eV/2kT). \quad (20)$$

The thermal broadening function shown in Fig. 5 has a FWHM of 3.5 kT. This is a relatively small contribution at low temperatures ($=3.0$ mV at $T=10$ K).

The differential conductivity is normally measured using a lock-in technique, which reduces phase-incoherent noise contributions.²⁶ A sinusoidal voltage modulation $V_m \cos(\omega t)$ is superimposed upon the tunneling voltage V , and the signal at frequency ω recorded

$$\begin{aligned} I_\omega(V) &= \frac{2\omega}{\pi V_m} \int_0^{\pi/\omega} I(V + V_m \cos \omega t) \cos \omega t dt \\ &= \int_{-\infty}^{\infty} \frac{dI}{dV}(V + V') \chi_m(V') dV'. \end{aligned} \quad (21)$$

The measured voltage is the differential conductivity convoluted with the instrumental function χ_m ,

$$\chi_m(V) = \begin{cases} 2\sqrt{V_m^2 - V^2}/\pi V_m^2, & |V| \leq V_m \\ 0, & |V| > V_m. \end{cases} \quad (22)$$

The FWHM of this instrumental broadening function χ_m , shown in Fig. 5, is $1.7V_m$.

VI. DISCUSSION

The results of the preceding sections permit the design and use of resonator structures for the measurement of intrinsic lifetimes. To illustrate this, we consider circular atomic corrals constructed from Ag adatoms on Ag(111), for which a scattering phase shift $\delta=0.75+0.42i$ has been measured.⁶ The basic idea is that resonators with different dimensions result in different series of energy levels, at energies given by (8) [or more accurately by numerically solving (7)]. By choosing an appropriate radius S , levels can be positioned at specific energies $\epsilon=E_n$. Using STS to measure the corresponding level width Γ , Eqs. (10) and (11) plus knowledge of the thermal and instrumental broadening effects (Sec. V) may then be used to identify $\tau_1(\epsilon)=\hbar/\Gamma_{1n}$.

Figure 6 compares theoretical estimates for the intrinsic many-body widths of the Ag(111) Shockley surface state




FIG. 6. Linewidth contributions to states at the center of circular Ag adatom corrals on Ag(111). Intrinsic width due to $e-e$ and $e-p$ scattering (solid line—compiled from theoretical values reported in Refs. 2, 4, and 27. Lossy boundary scattering: 60 atoms corral, radius 100 Å (squares); 120 atoms, radius 200 Å (circles); 240 atoms, radius 300 Å (lozenges). Inset: the LDOS normalized by $\rho_C = m^* / \pi \hbar^2$ at the center of the 120 atom corral.

with the boundary-loss contributions Γ_{Cn} that arise in variously sized circular corrals at fixed linear density of corral adatoms. For the smallest corral, of radius $S=10$ nm, Γ_C (squares) is significantly greater than Γ_I (solid line) for most energies. In practice this will make more difficult the accurate determination of Γ_I and hence lifetimes $\tau_1(=\hbar/\Gamma_I)$ from STS-measured linewidths, which will be the sum of Γ_I and Γ_C , plus the effects of the convolution with χ_T (20) and χ_m (22). In the 20 nm radius corral the intrinsic and boundary-loss linewidth contributions are comparable for most energies, making it a better candidate structure for intrinsic lifetime determinations. One might consider going further, noting that for a fixed linear density of atoms making up the corral, $\mu=N/(2\pi S)$, the linewidth Γ_C decreases linearly with S , encouraging the use of corrals of even greater radius. For almost all energies the lossy-scattering contribution Γ_C in the 30 nm corral shown in Fig. 6 is smaller than the intrinsic linewidth Γ_I . However, from Eq. (8) we see that the level spacings vary as $1/S^2$, decreasing with radius more rapidly than Γ_C , so that in larger corrals the resonances merge, and the levels lose their integrity. This is already apparent at low energies in the 20 nm corral. The LDOS for this case is presented in the inset in Fig. 6, and shows that the lowest two levels are only just separated. If typical thermal and instrumental broadenings are included, then the lowest level becomes an indiscernible shoulder. Hence lifetimes τ_1^{Ag} are best measured in Ag adatom corrals with radii up to ~ 20 nm, with smaller resonators used for lifetimes at energies towards the bottom of the band of surface states. Finally we point out that sparser adatom arrays result in broader linewidths, as can be seen in Fig. 2, and that using (11) an appropriate linear density of adatoms may be identified.

We conclude by summarizing the main results of this work. We have derived analytic expressions for the contribution to the spectral linewidths of electronic states measured using scanning tunneling spectroscopy at the center of circular atomic corrals and adatom and vacancy islands that arises

due to lossy boundary scattering. Correcting measured linewidths for these contributions as well as thermal and instrumental broadening effects enables intrinsic lifetimes due to electron-electron and electron-phonon scattering to be determined. The expressions that we have obtained are straightforward to evaluate, and also provide an estimate of lossy-confinement effects in noncircular resonators where the relevant radius is that of the largest enclosed circle. Using

our linewidth expressions it is possible to design resonator structures appropriate for lifetime studies.

ACKNOWLEDGMENTS

S. C. acknowledges the support of the British Council. H. J., J. K., L. L., and R. B. thank the Deutsche Forschungsgemeinschaft for financial support.

-
- ¹P. M. Echenique, R. Berndt, E. V. Chulkov, Th. Fauster, A. Goldmann, and U. Höfer, *Surf. Sci. Rep.* **52**, 219 (2004).
²J. Kliewer, R. Berndt, E. V. Chulkov, V. M. Silkin, P. M. Echenique, and S. Crampin, *Science* **288**, 1399 (2000).
³A. Fukui, H. Kasai, and A. Okiji, *Surf. Sci.* **493**, 671 (2001).
⁴A. Eiguren, B. Hellsing, F. Reinert, G. Nicolay, E. V. Chulkov, V. M. Silkin, S. Hufner, and P. M. Echenique, *Phys. Rev. Lett.* **88**, 066805 (2002); A. Eiguren, B. Hellsing, E. V. Chulkov, and P. M. Echenique, *Phys. Rev. B* **67**, 235423 (2003).
⁵L. Bürgi, O. Jeandupeux, H. Brune, and K. Kern, *Phys. Rev. Lett.* **82**, 4516 (1999); S. Crampin, J. Kröger, H. Jensen, and R. Berndt, *cond-mat/0410542* (unpublished).
⁶K.-F. Braun and K.-H. Rieder, *Phys. Rev. Lett.* **88**, 096801 (2002).
⁷J. Li, W.-D. Schneider, R. Berndt, O. R. Bryant, and S. Crampin, *Phys. Rev. Lett.* **81**, 4464 (1998).
⁸F. Reinert, G. Nicolay, S. Schmidt, D. Ehm, and S. Hufner, *Phys. Rev. B* **63**, 115415 (2001).
⁹J. Kliewer, Ph.D. Thesis, RWTH Aachen, 2000.
¹⁰S. Crampin and O. R. Bryant, *Phys. Rev. B* **54**, R17367 (1996).
¹¹J. Kliewer, S. Crampin, and R. Berndt, *New J. Phys.* **3**, 22 (2001).
¹²E. N. Economou, *Green's Functions for Quantum Physics* (Springer-Verlag, Berlin, 1983).
¹³E. J. Heller, M. F. Crommie, C. P. Lutz, and D. M. Eigler, *Nature (London)* **369**, 464 (1994).
¹⁴L. Bürgi, O. Jeandupeux, A. Hirstein, H. Brune, and K. Kern, *Phys. Rev. Lett.* **81**, 5370 (1998).
¹⁵J. Tersoff and D. R. Hamann, *Phys. Rev. B* **31**, 805 (1985).
¹⁶M. F. Crommie, C. P. Lutz, and D. M. Eigler, *Science* **262**, 218 (1993).
¹⁷J. Kliewer, R. Berndt, and S. Crampin, *Phys. Rev. Lett.* **85**, 4936 (2000).
¹⁸*Handbook of Mathematical Functions*, edited by M. Abramowitz and I. A. Stegun (Dover, New York, 1972).
¹⁹Resonance widths calculated using (6b) instead of (6a) differ by less than $\sim 2\%$ for $N > 1.5\kappa S$. For $N < \kappa S$ the spectrum starts to deviate from one that can be described by a series of Lorentzians. As a result such corrals are less attractive in terms of use for the experimental determination of lifetimes.
²⁰Ph. Avouris and L.-W. Lyo, *Science* **264**, 942 (1994).
²¹J. Li, W.-D. Schneider, R. Berndt, and S. Crampin, *Phys. Rev. Lett.* **80**, 3332 (1998).
²²J. Li, W.-D. Schneider, S. Crampin, and R. Berndt, *Surf. Sci.* **422**, 95 (1999).
²³H. Jensen, J. Kröger, R. Berndt, and S. Crampin, *Phys. Rev. B* **71**, 155417 (2005).
²⁴M. F. Crommie, C. P. Lutz, D. M. Eigler, and E. J. Heller, *Physica D* **83**, 98 (1995).
²⁵W. K. Li and S. M. Blinder, *J. Math. Phys.* **26**, 2784 (1985).
²⁶J. Klein, A. Léger, M. Belin, D. Défourneau, and M. J. L. Sangster, *Phys. Rev. B* **7**, 2336 (1973).
²⁷L. Vitali, P. Wahl, M. A. Schneider, K. Kern, V. M. Silkin, E. V. Chulkov, and P. M. Echenique, *Surf. Sci.* **523**, L47 (2003).