

Nonasymptotic homogenization of periodic electromagnetic structures: Uncertainty principles

Igor Tsukerman*

Department of Electrical and Computer Engineering, The University of Akron, Ohio 44325-3904, USA

Vadim A. Markel†

Aix-Marseille Université, CNRS, Centrale Marseille, Institut Fresnel UMR 7249, 13013 Marseille, France

(Received 8 October 2015; revised manuscript received 15 December 2015; published 22 January 2016)

We show that artificial magnetism of periodic dielectric or metal/dielectric structures has limitations and is subject to at least two “uncertainty principles.” First, the stronger the magnetic response (the deviation of the effective permeability tensor from identity), the less accurate (“certain”) the predictions of any homogeneous model. Second, if the magnetic response is strong, then homogenization cannot accurately reproduce the transmission and reflection parameters and, *simultaneously*, power dissipation in the material. These principles are general and not confined to any particular method of homogenization. Our theoretical analysis is supplemented with a numerical example: a hexahedral lattice of cylindrical air holes in a dielectric host. Even though this case is highly isotropic, which might be thought of as conducive to homogenization, the uncertainty principles remain valid.

DOI: [10.1103/PhysRevB.93.024418](https://doi.org/10.1103/PhysRevB.93.024418)

I. INTRODUCTION

A. Overview

Over the last 15–20 years, artificial magnetism of periodic dielectric structures or composite metal-dielectric structures (“metamaterials” and photonic crystals) has attracted much attention and is often tacitly assumed to have no principal limitations, especially in the ideal case of negligible losses. In this paper, however, we argue that such limitations do exist. Namely, the stronger the magnetic response (as measured by the deviation of the optimal effective permeability tensor from identity), the less accurate (“certain”) are predictions of any homogeneous model of the material. We call this an *uncertainty principle* (UP) for the effective parameters of metamaterials. It should be emphasized that this principle constitutes a general limitation and is not confined to any particular method of homogenization.

We also introduce another uncertainty principle: if the magnetic response of a periodic structure is strong, then homogenization cannot accurately reproduce the transmission and reflection (TR) parameters and, *simultaneously*, power dissipation (the heating rate) in the material. This ultimately follows from the fact that the TR coefficients are governed by the *boundary values* of Bloch waves in the material, while power is related to the *volume average* of a quadratic function of that wave.

The premise of our analysis is that the objective of homogenization is to predict, as accurately as possible, transmission and reflection of waves by a periodic electromagnetic structure—for simplicity, a slab (this eliminates complications due to edges and corners). We also consider a *homogeneous* slab of the same thickness and with a material tensor \mathcal{M} such

that the TR coefficients for the original and homogeneous slabs agree to a given level of tolerance over a sufficiently broad range of illumination conditions.

Our analysis is general and does not depend on a particular homogenization theory and on the way the effective tensor \mathcal{M} is determined. We consider periodic electromagnetic structures in the framework of classical electrodynamics. This does include plasmonic metamaterials with feature sizes above ~ 10 – 20 nm, when classical (frequency-dependent) permittivity $\epsilon(\omega)$ is still applicable. However, the field of metamaterials is currently so broad [1] that our theory may not be directly applicable to some types (superconducting materials, magnonic materials [2,3], etc.).

We argue that, for TR to be accurately rendered, not only the dispersion relation in the bulk but also the boundary conditions on the surface of the slab must be approximated well. It then follows that the amplitudes of the Bloch waves within the material are dictated by an accurate boundary match with the incident and reflected waves. Loosely speaking, this boundary match fixes the wave impedance, while the Bloch wave number fixes the dispersion relation. Both pieces of information are necessary to unambiguously define the effective material tensor.

A critical question then is whether the resulting tensor is (or could be) independent of the angle of incidence [4]. Clearly, angular-dependent material parameters do not have their traditional meaning, and their practical utility is limited.

An illumination-independent tensor certainly exists in the classical homogenization limit, when the ratio of the lattice cell size a to the vacuum wavelength λ approaches zero [5–7]. However, magnetic effects vanish in that limit [8,9] and, therefore, this case is not of primary interest to us here. In the remainder, we assume a *nonasymptotic* regime, where a and λ are of the same order of magnitude ($0.1 \lesssim a/\lambda \lesssim 0.5$). Then, in general, there is an appreciable surface wave whose behavior is quite involved. In previous work [10], one of the co-authors showed that surface waves have zero averages of the tangential field components on the interface boundary.

*igor@uakron.edu

†On leave from the Department of Radiology, University of Pennsylvania, Philadelphia, Pennsylvania 19104, USA; vmarkel@mail.med.upenn.edu; vmarkel@fresnel.fr

Therefore, they do not affect coarse-scale boundary conditions and homogenization, although they of course do contribute to the near-field behavior.

Remark 1. If lattice periods along the interface are greater than the vacuum wavelength, then surface waves are propagating rather than evanescent. We exclude this case from consideration.

Surface waves propagating along interfaces can carry energy and, for a sample finite in all directions, can be reflected off its edges and scattered off its corners. This cannot be addressed in the simplified setup adopted in this paper: a slab with a finite thickness but infinite in the remaining two directions. However, since surface waves do not generally exist in homogeneous media [except for special circumstances such as total internal reflection or surface plasmons at interfaces where $\text{Re}(\epsilon)$ changes sign], it is clear that the presence of such waves in periodic structures and reflection of these waves from the edges can only be detrimental to homogenization and cannot weaken the uncertainty principles presented here. Thus, to fix key ideas, we disregard surface waves. The interested reader may find further information in Refs. [10–12], although research on this subject is still far from complete.

There is ample evidence in the existing literature that effective parameters of metamaterials may have limited accuracy and validity. As an instructive example [13], the celebrated negative-index metamaterial due to Smith *et al.* [14] cannot be homogenized for a range of wavelengths in the vicinity of the second Γ point, even though these wavelengths are relatively long ($a/\lambda \sim 0.1$). Another notable example is the work of the Jena and Lyngby groups [15], who show that high symmetry of a metamaterial cell does not imply optical isotropy, especially in frequency ranges where the effective index is negative.

In our previous publications [16,17], we brought to the fore an interplay between magnetic response, the accuracy of homogenization, and the range of illumination conditions. Here we extend this line of reasoning and show that not only negative index but also a strong magnetic response must unfortunately be accompanied by lower accuracy of effective parameters, unless illumination conditions are restricted to a narrow range.

B. Local vs nonlocal parameters

This paper deals exclusively with *local* effective material parameters. Because of extensive discussions of nonlocality (or “spatial dispersion”) in the literature on metamaterials, it might be tempting to draw a connection between the uncertainty principles of this paper and nonlocality; hence brief comments on the latter are called for.

In classical electromagnetism, a local linear material relationship (say, between the \mathbf{D} and \mathbf{E} fields and with magnetoelectric coupling ignored for the sake of brevity) has the form $\mathbf{D}(\mathbf{r}) = \epsilon(\mathbf{r})\mathbf{E}(\mathbf{r})$ —that is, one field at any given point is related to another field at that same point. In contrast, a classical nonlocal relationship is usually written as

$$\mathbf{D}(\mathbf{r}) = \int_{\Omega} \mathcal{E}(\mathbf{r}, \mathbf{r}') \mathbf{E}(\mathbf{r}') d\mathbf{r}', \quad (1)$$

where \mathcal{E} is a convolution kernel and Ω is the region occupied by the material in question.

However, even if the nonlocal relation (1) could be rigorously established in the bulk, it would require special treatment at interfaces due to the lack of translational invariance. We are not aware of any theory that would rigorously define the kernel $\mathcal{E}(\mathbf{r}, \mathbf{r}')$ as a function of two position vectors near the metamaterial-air interface. Moreover, it is not clear how such a kernel could be put to practical use, because all metamaterial devices proposed so far depend critically on a local description of the effective medium.

If, for argument’s sake, one were to accept the view that *weak* spatial dispersion is equivalent to *local* parameters (ϵ, μ) (even though we have argued against this view [16]), then our requirement that parameters be local would still be justified.

In the remainder of the paper, we lay out theoretical arguments supporting the two uncertainty principles summarized above and present an instructive example: a triangular lattice of cylindrical air holes in a dielectric host, as investigated previously by Pei and Huang [18]. This example is interesting because, despite a high level of isotropy around the Γ point in the second photonic band, which may be thought of as conducive to homogenization, the uncertainty principles remain valid.

II. FORMULATION OF THE PROBLEM

The formulation of the homogenization problem was given in Ref. [17]. For completeness, we include it here in a shortened form, omitting some technical details not critical for the analysis in this paper.

We consider homogenization of periodic composites characterized by the intrinsic permittivity and permeability $\tilde{\epsilon}(\mathbf{r})$ and $\tilde{\mu}(\mathbf{r}) = 1$. The effective parameters are denoted with ϵ and μ (without the tilde). The individual constituents of the composite are assumed to be linear, local, and intrinsically nonmagnetic, so that $\tilde{\mu}(\mathbf{r}) = 1$ everywhere in space. Also, we assume that $\tilde{\epsilon}(\mathbf{r})$ is a scalar (a multiple of the identity tensor). In contrast, the effective parameters ϵ and μ can differ from unity and are, generally, second-rank tensors.

The tilde sign is used for all lattice-periodic quantities. For example, Bloch-periodic functions (Bloch waves) are written in the form

$$f(\mathbf{r}) = \tilde{f}(\mathbf{r}) \exp(i\mathbf{q} \cdot \mathbf{r}),$$

where \mathbf{q} is the Bloch wave vector. Here, symbol \mathbf{q} is used to distinguish the Bloch wave vector of a given medium from a generic wave vector \mathbf{k} . In the case of orthorhombic lattices, periodicity is expressed as

$$\tilde{f}(x + n_x a_x, y + n_y a_y, z + n_z a_z) = \tilde{f}(x, y, z), \quad (2)$$

where $a_x, a_y,$ and a_z are the lattice periods and $n_x, n_y,$ and n_z are arbitrary integers. Of course, Eq. (2) is assumed to hold only if both points $\mathbf{r} = (x, y, z)$ and $\mathbf{r}' = (x + n_x a_x, y + n_y a_y, z + n_z a_z)$ are simultaneously located either inside the composite or in a vacuum.

Fine-level fields—that is, the exact solutions to the macroscopic Maxwell’s equations—are denoted with small letters $\mathbf{e}, \mathbf{d}, \mathbf{h},$ and \mathbf{b} . Capital letters $\mathbf{E}, \mathbf{D}, \mathbf{H},$ and \mathbf{B} are used for coarse-level fields that would exist in an equivalent effective medium, still to be defined. The constitutive relations for the

fine-level fields are

$$\mathbf{d}(\mathbf{r}) = \tilde{\epsilon}(\mathbf{r})\mathbf{e}(\mathbf{r}), \quad \mathbf{b}(\mathbf{r}) = \mathbf{h}(\mathbf{r}).$$

Note that $\mathbf{h}(\mathbf{r}) = \mathbf{b}(\mathbf{r})$ because the medium is assumed to be intrinsically nonmagnetic.

Our analysis is in the frequency domain with the $\exp(-i\omega t)$ phasor convention. At a working frequency ω , the free-space wave number k and wavelength λ are

$$k = \frac{\omega}{c} = \frac{2\pi}{\lambda}.$$

We compare transmission and reflection of electromagnetic waves for two separate cases of slabs of a thickness d each. The slabs are, for simplicity, infinite in the longitudinal direction (the half-space can be viewed as a valid particular case $d \rightarrow \infty$). In the first case, the slab is composed of a given metamaterial (i.e., has a periodic structure), while in the second case the slab contains a homogeneous medium with a yet unknown material tensor \mathcal{M} . To any (monochromatic) plane wave incident on the surface of either slab at an angle θ_{inc} , there correspond transmission (T) and reflection (R) coefficients $R_{\text{MM}}, R_{\text{hmg}}, T_{\text{MM}}, T_{\text{hmg}}$, where subscripts ‘‘MM’’ and ‘‘hmg’’ indicate the metamaterial and homogeneous cases, respectively. Under the condition of Remark 1, reflection and transmission coefficients for the metamaterial slab are well defined.

The difference between the reflection and transmission coefficients produced by the two slabs will be referred to as the *TR discrepancy* δ_{TR} :

$$\delta_{TR} \equiv \|R_{\text{hmg}}(\theta_{\text{inc}}) - R_{\text{MM}}(\theta_{\text{inc}})\| + \|T_{\text{hmg}}(\theta_{\text{inc}}) - T_{\text{MM}}(\theta_{\text{inc}})\|, \quad (3)$$

where $\|\cdot\|$ is a desired norm—say, the L_2 norm over a given range of illumination conditions, e.g., $\theta_{\text{inc}} \in [-\pi/2, \pi/2]$ if all propagating waves but no evanescent waves are considered. Our analysis below applies to any homogenization theory that produces a tensor \mathcal{M} approximately minimizing the TR discrepancy δ_{TR} .

III. FIRST UNCERTAINTY PRINCIPLE: MAGNETIC RESPONSE VS ACCURACY OF HOMOGENIZATION

As noted in the introduction, magnetic characteristics of metamaterials become trivial in the zero-cell-size limit [8,9,19] (assuming that the intrinsic material parameters remain bounded). Thus a strong magnetic response can only be achieved if the cell size forms an appreciable fraction of the vacuum wavelength. The objective of this section is to show that stronger effective magnetic properties are unavoidably accompanied by lower approximation accuracy of the metamaterial by a homogeneous medium with local parameters. We call this an ‘‘uncertainty principle’’ (UP) of local homogenization.

Although parts of our analysis are similar to those of Ref. [17], we do *not* assume that the \mathcal{M} tensor has necessarily been determined by using the procedure of Ref. [17]. Rather, let \mathcal{M} be found by using *any* method (say, parameter retrieval as the most common example).

To avoid unnecessary mathematical complications and to keep our focus on the physical essence of the problem, we

present our analysis of the UP for the s mode (the \mathbf{E} field in the z direction, the \mathbf{H} field in the xy plane), with a plane wave impinging in the xy plane on a half space filled with a metamaterial, i.e., a dielectric structure characterized by a permittivity $\epsilon(\mathbf{r})$ periodic in the x and y directions with the same (for simplicity) lattice constant a .

We introduce normal n and tangential τ coordinates relative to the material-air interface S ; n points from the air (on the side of the incident wave) into the metamaterial.

A Bloch wave with a wave vector \mathbf{q} is

$$e_{\text{B}}(\mathbf{r}, \mathbf{q}) = \tilde{e}_{\text{B}}(\mathbf{r}) \exp(i\mathbf{q} \cdot \mathbf{r}), \quad (4)$$

where subscript ‘‘B’’ indicates a Bloch-wave-related quantity.

The tangential component of the respective \mathbf{h} field is

$$h(\mathbf{r}) = \frac{1}{ik} \frac{\partial e}{\partial n} = \tilde{h}_{\text{B}}(\mathbf{r}) \exp(i\mathbf{q} \cdot \mathbf{r}) \quad (5)$$

(only the tangential component is used in the analysis, and therefore subscript ‘‘ τ ’’ is dropped for brevity of notation). The periodic factor for the magnetic field is

$$\tilde{h}_{\text{B}}(\mathbf{r}) = \frac{q_n}{k} \tilde{e}_{\text{B}}(\mathbf{r}) + \frac{1}{ik} \frac{\partial \tilde{e}_{\text{B}}(\mathbf{r})}{\partial n}. \quad (6)$$

We now compare wave propagation from the air into a half space filled with

- (i) a metamaterial, and
- (ii) a homogeneous medium, with its material tensor yet to be determined to minimize the TR discrepancy [20].

In both cases (i) and (ii), the field in the air is given by

$$e_{\text{air}}(\mathbf{r}) = E_{\text{inc}}[\exp(i\mathbf{k}_{\text{inc}} \cdot \mathbf{r}) + R \exp(i\mathbf{k}_{\text{r}} \cdot \mathbf{r})], \quad (7)$$

$$h_{\text{air}}(\mathbf{r}) = E_{\text{inc}} \cos \theta_{\text{inc}} [\exp(i\mathbf{k}_{\text{inc}} \cdot \mathbf{r}) - R \exp(i\mathbf{k}_{\text{r}} \cdot \mathbf{r})], \quad (8)$$

where the tangential component is again implied for \mathbf{h} .

It will be convenient to assume that the reflection coefficient R is exactly the same in cases (i) and (ii). Strictly speaking, there can be (and in practice will be) some approximation tolerance; however, introducing this tolerance explicitly would obscure the analysis while adding little to its physical substance.

With the surface wave ignored, the field in the metamaterial is just the Bloch wave (4) and (5), and the boundary conditions are

$$\langle \tilde{e}_{\text{B}} \rangle_S = (1 + R)E_{\text{inc}}, \quad (9)$$

$$\langle \tilde{h}_{\text{B}} \rangle_S = (1 - R)E_{\text{inc}} \cos \theta_{\text{inc}}, \quad (10)$$

where $\langle \cdot \rangle_S$ denotes the average over the air-cell boundary.

Remark 2. We require that boundary conditions hold in the sense of averages (9) and (10) rather than pointwise because zero-mean discrepancies between a Bloch wave and a plane wave at the boundary are unavoidable. Indeed, the Bloch wave in an inhomogeneous medium has higher-order spatial harmonics that cannot be matched by a plane wave. Conditions (9) and (10) ensure that the discrepancy between the Bloch field on the material side and plane waves on the air side affect only the near field, as long as $a < \lambda$. If the surface wave on both sides of the interface were included in Eqs. (9) and (10),

then these conditions would of course hold pointwise, without the averages.

In case (ii)—a wave transmitted into the *homogeneous* half space,

$$E_T(\mathbf{r}) = E_{T0} \exp(i\mathbf{k}_T \cdot \mathbf{r}), \quad (11)$$

$$H_T(\mathbf{r}) = H_{T0} \exp(i\mathbf{k}_T \cdot \mathbf{r}). \quad (12)$$

Phase matching between Eqs. (11) and (4) implies that, for best approximation, one must have

$$\mathbf{k}_T = \mathbf{q}. \quad (13)$$

Furthermore, due to the boundary conditions at the material-air interface, the amplitudes of the transmitted wave in the equivalent homogenized medium must be

$$E_{T0} = (1 + R)E_{\text{inc}} = \langle \tilde{e}_B \rangle_S, \quad (14)$$

$$H_{T0} = (1 - R)E_{\text{inc}} \cos \theta_{\text{inc}} = \langle \tilde{h}_B \rangle_S. \quad (15)$$

The first equality in Eq. (14) is just the classical Maxwell condition, while the second one follows from Eq. (9); similarly for Eq. (15).

Now that the field amplitudes in the homogenized material have been determined, we can find the material tensor for which the dispersion relation (in essence, Maxwell's equations) will be satisfied. We are primarily interested in the case of fourfold (C_4 group) symmetry, which is particularly instructive. (In a more general situation, the effective tensor needs to be defined via ensemble averages, as was done in our previous paper [17].) For C_4 cells, the material tensor is diagonal (in particular, there is no magnetoelectric coupling) and, moreover, $\mu_{\tau\tau} = \mu_{nn}$. Hereinafter, we focus on the $\mu_{\tau\tau}$ entry of the tensor.

Maxwell's $\nabla \times \mathbf{E}$ equation for the generalized plane wave [Eqs. (11) and (12)] gives the amplitude of the tangential component of the \mathbf{B} field in this wave:

$$B_{T0} = \frac{1}{ik} k_{Tn} E_{T0}, \quad (16)$$

or, substituting $\mathbf{k}_T = \mathbf{q}$ from Eq. (13) and E_{T0} from Eq. (14),

$$B_{T0} = \frac{q_n}{k} \langle \tilde{e}_B \rangle_S. \quad (17)$$

This, along with Eq. (15) for the amplitude of H_T , leads to the following expression for the effective magnetic permeability:

$$\mu_{\tau\tau} = \frac{B_{T0}}{H_{T0}} = \frac{q_n \langle \tilde{e}_B \rangle_S}{k \langle \tilde{h}_B \rangle_S} = \frac{q_n \langle \tilde{e}_B \rangle_S}{q_n \langle \tilde{e}_B \rangle_S - i \langle \partial_n \tilde{e}_B \rangle_S}, \quad (18)$$

where we inserted expression (6) for \tilde{h}_B . Switching for algebraic convenience from permeability to reluctivity, we arrive at the following surprisingly simple expression:

$$\zeta_{\tau\tau} \equiv 1 - \mu_{\tau\tau}^{-1} = \frac{i \langle \partial_n \tilde{e}_B \rangle_S}{q_n \langle \tilde{e}_B \rangle_S} = \frac{i \langle \partial_n \tilde{e}_B \rangle_S}{q \cos \theta_B \langle \tilde{e}_B \rangle_S}, \quad (19)$$

where θ_B is the propagation angle for the Bloch wave. It is instructive to split \tilde{e}_B in Eq. (19) into its mean value e_0 and its zero mean e_{ZM} :

$$\tilde{e}_B \equiv e_0 + e_{ZM}, \quad e_0 = \text{const}, \quad \int_C e_{ZM} dC = 0.$$

Then Eq. (19) becomes

$$\zeta_{\tau\tau} = \frac{i \langle \partial_n e_{ZM} \rangle_S}{q \cos \theta_B (e_0 + \langle e_{ZM} \rangle_S)}. \quad (20)$$

It is then immediately clear that magnetic effects in metamaterials are due entirely to higher-order spatial harmonics of the Bloch wave, manifested in e_{ZM} . (If $e_{ZM} = 0$, the Bloch wave is just a plane wave, and $\zeta_{\tau\tau} = 0$.) To avoid any misunderstanding, note that e_{ZM} by definition has a zero average in the *volume* of the cell but in general not on its surface, which makes all the difference in Eq. (20).

The behavior of Bloch waves in inhomogeneous lattice cells is complicated, and there are no simple closed-form expressions for these waves. (Approximations are well known but exist only as formal solutions of large linear systems developed in a finite basis, e.g., in a plane-wave basis.) From the qualitative physical perspective, however, one may conclude that, due to the complex dependence of e_{ZM} on θ_B (i.e., on the illumination conditions), $\zeta_{\tau\tau}$ is in general angle dependent. Moreover, this angular dependence will tend to be stronger when the magnetic effects (nonzero $\zeta_{\tau\tau}$) are themselves stronger, because both are controlled by e_{ZM} . This conclusion can also be supported quantitatively (see Appendix A) but does not have the status of a mathematical theorem; the door is therefore still open for engineering design and optimization, with a compromise between the strength of magnetic response and homogenization accuracy.

IV. SECOND UNCERTAINTY PRINCIPLE: TR-DISCREPANCY VS. POWER DISCREPANCY

In this section, we put forward a second uncertainty principle: if magnetic response is appreciable, homogenization cannot accurately reproduce both TR *and* power dissipation (the heating rate). The root cause of this can be easily grasped from the simplified one-dimensional (1D) sketch in Fig. 1. Let the periodic factor $\tilde{e}(x)$ of a Bloch wave in a given lattice cell be approximated, in a homogenized medium, by a plane wave of amplitude E_0 . If it is the power dissipation in the homogenized medium that is matched to the actual power, then E_0 should be at the root-mean-square (rms) level indicated by the dashed line [21]. On the other hand, if it is the boundary conditions that are matched (which is necessary for rendering the TR correctly), then E_0 must have a different value, indicated by the solid line in the figure.




FIG. 1. Coarse-level amplitudes derived from power dissipation and from boundary conditions are in general different.

Let us proceed to a more formal analysis. In the homogenized case, the general expression for the total current density within the medium is, in the frequency domain,

$$\mathbf{J} = -i\omega\mathbf{P} + c\nabla \times \mathbf{M}, \quad (21)$$

where

$$\begin{aligned} \mathbf{P} &= \frac{1}{4\pi}(\mathbf{D} - \mathbf{E}) = \frac{1}{4\pi} \left(-\frac{1}{ik} \nabla \times \mathbf{H} - \mathbf{E} \right) \\ &= -\frac{1}{4\pi k} (\mathbf{q} \times \mathbf{H} + k\mathbf{E}), \end{aligned} \quad (22)$$

$$\begin{aligned} \mathbf{M} &= \frac{1}{4\pi}(\mathbf{B} - \mathbf{H}) = \frac{1}{4\pi} \left(\frac{1}{ik} \nabla \times \mathbf{E} - \mathbf{H} \right) \\ &= \frac{1}{4\pi k} (\mathbf{q} \times \mathbf{E} - k\mathbf{H}). \end{aligned} \quad (23)$$

Substituting expressions for \mathbf{P} and \mathbf{M} [Eqs. (22) and (23), respectively] into expression (21) for \mathbf{J} , one obtains

$$\begin{aligned} \mathbf{J} &= \frac{ic}{4\pi} (\mathbf{q} \times \mathbf{H} + k\mathbf{E}) + \frac{c}{4\pi} \nabla \times \left(\frac{1}{k} \mathbf{q} \times \mathbf{E} - \mathbf{H} \right) \\ &= \frac{i\omega}{4\pi} \mathbf{E} + \frac{ic}{4\pi k} \mathbf{q} \times (\mathbf{q} \times \mathbf{E}) \\ &= \frac{i\omega}{4\pi} \mathbf{E} + \frac{ic}{4\pi k} [\mathbf{q}(\mathbf{q} \cdot \mathbf{E}) - (\mathbf{q} \cdot \mathbf{q})\mathbf{E}]. \end{aligned}$$

Expressing the heating rate as $\frac{1}{2}\text{Re}(\mathbf{J} \cdot \mathbf{E}^*)$ [22], one obtains per-cell power dissipation in the homogenized medium [23]:

$$W_C = -\frac{c}{8\pi k} \text{Im} \int_C \{(\mathbf{q} \cdot \mathbf{E})(\mathbf{q} \cdot \mathbf{E}^*) - (\mathbf{q} \cdot \mathbf{q})(\mathbf{E} \cdot \mathbf{E}^*)\} dC. \quad (24)$$

The power calculation for the actual fine-scale fields is similar but simpler, since for intrinsically nonmagnetic components, magnetization \mathbf{m} is zero by definition. Hence we have

$$\begin{aligned} \mathbf{j} &= \frac{i\omega}{4\pi} \left(\frac{1}{ik} \nabla \times \mathbf{h} + \mathbf{e} \right) = \frac{i\omega}{4\pi} \left(\frac{1}{k^2} \mathbf{q} \times (\mathbf{q} \times \mathbf{e}) + \mathbf{e} \right) \\ &= \frac{i\omega}{4\pi k^2} \{ \mathbf{q}(\mathbf{q} \cdot \mathbf{e}) + [k^2 - (\mathbf{q} \cdot \mathbf{q})]\mathbf{e} \}. \end{aligned}$$

Thus the actual power dissipation per lattice cell is

$$w_C = -\frac{c}{8\pi k} \text{Im} \left\{ \int_C [(\mathbf{q} \cdot \mathbf{e})(\mathbf{q} \cdot \mathbf{e}^*) - (\mathbf{q} \cdot \mathbf{q})(\mathbf{e} \cdot \mathbf{e}^*)] dC \right\}. \quad (25)$$

Let us consider an s wave as a simple but representative model; the conclusion generalizes to arbitrary waves in two- or three-dimensional (2D or 3D) periodic structures. For an s wave, the ‘‘longitudinal’’ $\mathbf{q} \cdot$ terms vanish, because the electric field is, by definition, orthogonal to \mathbf{q} . Then, for power dissipation W_C on the coarse level to be equal to the actual power w_C , the amplitude E_0 on the coarse level has to satisfy

$$|E_0|^2 V_C = \int_C |\tilde{e}|^2 dC. \quad (26)$$

This follows from the direct comparison of expressions (24) and (25) and from the fact that \mathbf{E} and \mathbf{e} contain the same Bloch exponential: $E(\mathbf{r}) = E_0 \exp(i\mathbf{q} \cdot \mathbf{r})$, $e(\mathbf{r}) = \tilde{e}(\mathbf{r}) \exp(i\mathbf{q} \cdot \mathbf{r})$.

On the other hand, to represent TR accurately, one needs to honor the boundary conditions (see Sec. III). Thus, according to Eq. (14),

$$E_0 = \langle \tilde{e}_B \rangle_S = e_0 + \langle e_{ZM} \rangle_S. \quad (27)$$

If Eq. (26) were to hold with E_0 satisfying Eq. (27), one would have

$$|e_0 + \langle e_{ZM} \rangle_S|^2 V_C = \int_C |e_0 + e_{ZM}|^2 dC,$$

and the right-hand side simplifies because the zero-mean function e_{ZM} is orthogonal to the constant e_0 :

$$|\langle e_{ZM} \rangle_S|^2 + 2\text{Re}\{\langle e_{ZM} \rangle_S e_0^*\} = \langle |e_{ZM}|^2 \rangle_C. \quad (28)$$

Since the volume distribution of a Bloch mode and the respective value of e_0 are only loosely related to its boundary values, the above condition is quite restrictive and cannot be expected to hold for any given wave, let alone for *all* Bloch waves, traveling in different directions or evanescent. A trivial exception is $e_{ZM} \equiv 0$, in which case the Bloch wave turns into a plane wave and there are no magnetic effects. The stronger these effects, the more strongly Eq. (28) will in general be violated.

V. NUMERICAL EXAMPLE: THE UNCERTAINTY PRINCIPLE FOR A PROBLEM WITH HIGH ISOTROPY

A. Setup

As an instructive example, we consider the hexahedral lattice of cylindrical air holes in a dielectric host investigated previously by Pei and Huang [18]. The radius of each air hole is $r_{\text{cyl}} = 0.42a$, the dielectric permittivity of the host is $\epsilon_{\text{host}} = 12.25$; s -polarization (TM-mode, one-component E field perpendicular to the plane of the figure). This example is interesting because, in the second photonic band, it exhibits a high level of isotropy around the Γ point and a negative effective index.

The elementary cell of this lattice can also be viewed as a rhombus, with the corresponding real-space lattice vectors

$$\mathbf{a}_1 = a\hat{x}, \quad \mathbf{a}_2 = \frac{a}{2}(\hat{x} + \sqrt{3}\hat{y}),$$

and reciprocal vectors

$$\mathbf{b}_1 = \kappa \left(1, -\frac{1}{\sqrt{3}} \right), \quad \mathbf{b}_2 = \kappa \left(0, \frac{2}{\sqrt{3}} \right), \quad \kappa \equiv \frac{2\pi}{a}.$$

The real and reciprocal vectors satisfy the standard Kronecker- δ relation

$$\mathbf{a}_\alpha \cdot \mathbf{b}_\beta = 2\pi \delta_{\alpha\beta}, \quad \alpha, \beta = 1, 2. \quad (29)$$

For this structure, we have calculated the Bloch bands and modes, as well as wave transmission and reflection. All of these simulations employed high-order flexible local approximation method (FLAME) difference schemes [24–27]. These schemes do not necessarily operate on Cartesian grids and, in particular, have been adapted to rhombic ones for the calculation of Bloch modes. Selected results follow.




FIG. 2. An almost circular first-Brillouin-zone isofrequency contour for the Pei-Huang [18] triangular lattice of air holes $r_{\text{cyl}} = 0.42a$, $\epsilon_{\text{host}} = 12.25$, with $a = 0.365\lambda$ near the Γ point $a/\lambda \approx 0.368$. Markers are numerical data points, solid line is a circular fit. The isotropy of the dispersion relation is evident and has been noted by Pei and Huang.

The first-Brillouin-zone equal-frequency contour for $a = 0.365\lambda$ (λ being the vacuum wavelength), close to the Γ point $a \approx 0.368\lambda$, is shown in Fig. 2. The contour is indeed seen to be almost circular.

Two modes with $q_x = 0$ and $q_y = 0$ are plotted in Fig. 3. Incidentally, in contrast with rectangular lattices, for hexahedral lattices the Bloch mode with $q_y = 0$ is *not* generally lattice periodic in the y direction. Indeed, consider a point \mathbf{r} on the lower side of the rhombic cell and the corresponding point $\mathbf{r} - \frac{1}{2}\mathbf{a}_1 + \mathbf{a}_2$ on the upper side. For a plane-wave component (m_1, m_2) of a Bloch wave, the respective phase factor between




FIG. 3. The absolute value of the electric field for the s mode with $q_x = 0$ (top) and $q_y = 0$ (bottom). The Pei-Huang [18] triangular lattice of air holes $r_{\text{cyl}} = 0.42a$, $\epsilon_{\text{host}} = 12.25$, $a = 0.365\lambda$. The circular line indicates the boundary of the hole.

the two points is equal to unity only for even values of m_1 :

$$\begin{aligned} & \exp\left(-i\frac{m_1}{2}\mathbf{b}_1 \cdot \mathbf{a}_1\right) \exp(im_2\mathbf{b}_2 \cdot \mathbf{a}_2) \\ &= \exp(-\pi im_1) \exp(2\pi im_2) \\ &= (-1)^{m_1}, \end{aligned}$$

where the Kronecker- δ property of the lattice vectors was taken into account.

However, a similar calculation shows that for $q_x = 0$ lattice periodicity in the x direction does hold. Indeed, in that case the phase factor is

$$\begin{aligned} & \exp(im_1\mathbf{b}_1 \cdot \mathbf{a}_1) \exp(im_2\mathbf{b}_2 \cdot \mathbf{a}_1) \\ &= \exp(i2\pi m_1) \exp(i2\pi m_2) \\ &= 1. \end{aligned}$$

Numerical results in the following section illustrate that the uncertainty principle is valid even for this highly isotropic case.

B. An optimized tensor

To verify the uncertainty principle numerically, we performed “brute-force” minimization of the TR discrepancy with respect to a varying effective-material tensor. The TR data from accurate finite-difference (FD) simulations of wave propagation through a hexahedral-lattice slab were taken as a basis. Parameters of the lattice are given in the previous section; the angle of incidence varied from zero to an adjustable value θ_{max} . The number of layers in the slab was fixed at eight, which, according to extensive published evidence, should yield a reasonable representation of bulk behavior. The MATLAB[®] optimization function `fminsearch` was run repeatedly from different initial guesses for the tensor. (`fminsearch` employs the Nelder-Mead simplex search method that does not use numerical or analytic derivatives.) Included in our optimization routine was a simulated annealing procedure [28,29] which allows the numerical solution to escape from a local minimum in the search for a global minimum. Admittedly, in complex nonlinear optimization it can almost never be claimed (with the notable exception of convex problems) that a global minimum has been found. Still, in our case minimization was surprisingly robust and converged to the same final result regardless of the initial guess.

This tensor optimization can be viewed as a generalization of the traditional S -parameter retrieval, except that illumination is not limited to normal incidence and the material tensor is not limited to a diagonal tensor. Optimization was performed under the constraints proved formally in Appendix B; namely, the magnetoelectric coupling entries of the tensor are purely imaginary, while all remaining entries are real.

For reference, we also consider the static tensor corresponding to the $a/\lambda \rightarrow 0$ limit. This tensor is diagonal, its magnetic part being the identity tensor. For s polarization, the effective static-limit permittivity is just the volume average of those of the host and inclusion.

Figures 4 and 5 contrast the accuracy of homogenization for the cases of a long wavelength ($a/\lambda = 0.1$) and a short one ($a/\lambda = 0.365$), in correlation with the corresponding magnetic




FIG. 4. Absolute errors in R (top) and T (bottom) as a function of the sine of the angle of incidence. The errors are defined as $\delta_R(\theta_{\text{inc}}) = |R_{\text{opt}}(\theta_{\text{inc}}) - R_{\text{FD}}(\theta_{\text{inc}})|$, $\delta_T(\theta_{\text{inc}}) = |T_{\text{opt}}(\theta_{\text{inc}}) - T_{\text{FD}}(\theta_{\text{inc}})|$, where “opt” refers to the optimized effective tensor and “FD” refers to accurate finite-difference (FLAME) simulations. Tensor optimization was performed within the range $[0, \pi/4]$ for the angle of incidence. $a/\lambda = 0.1$.




FIG. 5. Same as Fig. 4 but for $a/\lambda = 0.365$. Note the logarithmic scale on the vertical axis.

effects. As already noted, $a/\lambda = 0.365$ is close to the second Γ point.

For the long wavelength (Fig. 4), one observes that the optimized tensor yields a good “engineering level” of accuracy: the TR errors are below 0.01 in a broad range of (albeit not all) angles of illumination. Even the static tensor in that case is borderline acceptable. This does not violate the uncertainty principle for TR, because magnetic effects in the long-wavelength case are weak: $\mu \approx 1.04$ for the optimized tensor and $\mu = 1$ for the static one.

The situation is completely different for the short wavelength near the second Γ point (Fig. 5). Not surprisingly, the static tensor in this regime is not applicable at all. But even the optimized tensor does not work: the errors are too large, except for an accidental narrow range of the angles of incidence. (Clearly, for any given specific angle, TR can be represented perfectly just by parameter fitting.)

A detailed analysis of dispersion relations and homogenization in the vicinity of Γ points in higher bands is given in Ref. [30].

VI. CONCLUSION

This paper demonstrates that a nontrivial effective permeability tensor of periodic structures composed of intrinsically nonmagnetic constituents has limitations and is subject to (at least) two “uncertainty principles.” First, the stronger the magnetic response (as measured by the deviation of the optimal effective permeability tensor from identity), the less accurate (“certain”) are predictions of the effective-medium theory. Second, also in the case of a strong magnetic response, homogenization cannot simultaneously and accurately reproduce both TR *and* power relations in the periodic structure. In practice, there is still room for engineering design, but the tradeoffs between magnetic response and the accuracy of homogenization must be noted.

These conclusions follow from the analysis of coarse-level fields that must satisfy the dispersion relation and boundary conditions accurately, while simultaneously approximating the far field reflected and transmitted by a metamaterial sample. All of this implies that not only the dispersion relation but also surface impedance have to be illumination independent. These prerequisites cannot unfortunately be simultaneously satisfied if the desired magnetic response is strong. As a supporting example, we considered a hexahedral lattice of cylindrical air holes in a dielectric host, as investigated previously in Ref. [18]. Even in this highly isotropic case, seemingly conducive to homogenization, the uncertainty principles remain valid.

ACKNOWLEDGMENTS

The work of Vadim A. Markel has been carried out thanks to the support of the A*MIDEX Project (No. ANR-11-IDEX-0001-02) funded by the “Investissements d’Avenir” French Government program, managed by the French National Research Agency (ANR). The research of both authors was also supported by the US National Science Foundation under Grants No. DMS-1216927 and DMS-1216970.

APPENDIX A: DEPENDENCE OF BLOCH WAVES ON DIRECTION OF PROPAGATION

Because no analytical expressions are available for Bloch waves, let us consider an approximation and examine its implications for the magnetic parameter ζ in Eq. (20). Since Eq. (20) is valid for the case of a fourfold symmetry, we continue to operate under that assumption. To simplify analytical manipulations, we assume, in addition, that the metamaterial consists of C_4 -symmetric but otherwise arbitrarily shaped particles embedded in a homogeneous host; then the medium next to the lattice cell boundary is homogeneous, which is quite typical. Finally, we continue to concentrate on the 2D case, s mode; it will be clear from the analysis below that this assumption is not critical, but it does simplify the mathematics greatly.

Under the above assumptions, the e field at the cell boundary can be expanded into cylindrical harmonics:

$$e(\mathbf{r}) = \sum_{m=-\infty}^{\infty} [c_m J_m(kr) + s_m h_m(kr)] \exp(im\phi), \quad (\text{A1})$$

where J_m and h_m are the Bessel function and the Hankel function of the first kind, respectively; c_m and s_m are (yet undetermined) coefficients, and k is the wave number corresponding to the host material around the cell boundary. The (infinite) coefficient vectors $\underline{c} = (\dots, c_{-1}, c_0, c_1, \dots)$ and $\underline{s} = (\dots, s_{-1}, s_0, s_1, \dots)$ are linearly related:

$$\underline{s} = T\underline{c}. \quad (\text{A2})$$

Equation (A2) may serve as a definition of the scattering matrix T which depends on the particle in the cell and fully characterizes its electromagnetic response.

As an approximation, let us retain the terms in Eq. (A1) up to quadrupole ($|m| \leq 2$); the coefficient vectors then reduce to length five, and T is 5×5 .

Since the Bloch wave is defined up to an arbitrary scaling factor, we need four conditions to fix the coefficient vectors \underline{c} and \underline{s} . The simplest way to impose such conditions is by collocation at the four edge midpoints of the boundary.

More precisely, let the square lattice cell $a \times a$ be centered at the origin; let midpoints 1 and 2 correspond to the bottom and top edges, respectively: $\mathbf{r}_1 = (0, -a/2)$, $\mathbf{r}_2 = (0, a/2)$. We require that the fields at these midpoints be related by the Bloch condition

$$e(\mathbf{r}_2) - \lambda_n e(\mathbf{r}_1) = 0, \quad \partial_n e(\mathbf{r}_2) - \lambda_n \partial_n e(\mathbf{r}_1) = 0, \quad (\text{A3})$$

where $\lambda_n \equiv \exp(iaq \cos \theta_B)$. In a completely similar manner, for the midpoints on the ‘‘left’’ and ‘‘right’’ edges, $\mathbf{r}_3 = (-a/2, 0)$, $\mathbf{r}_4 = (a/2, 0)$, the Bloch condition is

$$e(\mathbf{r}_4) - \lambda_\tau e(\mathbf{r}_3) = 0, \quad \partial_\tau e(\mathbf{r}_4) - \lambda_\tau \partial_\tau e(\mathbf{r}_3) = 0, \quad (\text{A4})$$

where $\lambda_\tau \equiv \exp(iaq \sin \theta_B)$. It is straightforward to write the midpoint collocation condition in matrix-vector form:

$$(\mathcal{J}_{\alpha+1} - \lambda_n \mathcal{J}_\alpha) \underline{c} + (\mathcal{I}_{\alpha+1} - \lambda_n \mathcal{I}_\alpha) \underline{s} = 0, \quad (\text{A5})$$

$$(\mathcal{J}_{\alpha+1}^\partial - \lambda_n \mathcal{J}_\alpha^\partial) \underline{c} + (\mathcal{I}_{\alpha+1}^\partial - \lambda_n \mathcal{I}_\alpha^\partial) \underline{s} = 0, \quad (\text{A6})$$

$\alpha = 1, 3$.

All \mathcal{J} s and \mathcal{I} s above are row vectors of length five. Vector \mathcal{J}_l contains the values of the Bessel functions at the collocation point l —that is, the values $J_m(\mathbf{r}_l)$, $m = 0, \pm 1, \pm 2$. Likewise, vector \mathcal{I}_l contains the values of the respective Hankel functions $h_m(\mathbf{r}_l)$. Vectors labeled with superscript ∂ are analogous but contain the respective partial derivatives of the Bessel or Hankel functions: ∂_n for collocation points 1 and 2, and ∂_τ for points 3 and 4.

Recalling now that $\underline{s} = T\underline{c}$ (A2) and merging the four conditions above into a single matrix, we have

$$\underline{c} = \text{Null} A, \quad (\text{A7})$$

where

$$A = \begin{pmatrix} \mathcal{J}_2 + T\mathcal{I}_2 - \lambda_n(\mathcal{J}_1 + T\mathcal{I}_1) \\ \mathcal{J}_2^\partial + T\mathcal{I}_2^\partial - \lambda_n(\mathcal{J}_1^\partial + T\mathcal{I}_1^\partial) \\ \mathcal{J}_4 + T\mathcal{I}_4 - \lambda_\tau(\mathcal{J}_3 + T\mathcal{I}_3) \\ \mathcal{J}_4^\partial + T\mathcal{I}_4^\partial - \lambda_\tau(\mathcal{J}_3^\partial + T\mathcal{I}_3^\partial) \end{pmatrix}. \quad (\text{A8})$$

Now that the Bloch wave expansion into cylindrical harmonics has been evaluated, we can substitute it into expression (19) for $\zeta_{\tau\tau}$:

$$\zeta_{\tau\tau} \approx \frac{i}{q \cos \theta_B} \frac{(\mathcal{J}_1^\partial + T\mathcal{I}_1^\partial) \underline{c}}{(\mathcal{J}_1 + T\mathcal{I}_1) \underline{c}}. \quad (\text{A9})$$

The key point here is that coefficients \underline{c} depend in quite a convoluted way on the angle. Indeed, vector \underline{c} is the null space of matrix A which contains λ_τ and λ_n , which in turn are complex exponentials of $\cos \theta_B$ and $\sin \theta_B$. This convoluted angular dependence of \underline{c} translates, via Eq. (A9), into an even more complex angular dependence of $\zeta_{\tau\tau}$.

APPENDIX B: PROPERTIES OF THE TENSOR, s MODE

This section includes a formal proof of some properties of the optimized material tensor under natural assumptions about this optimization. The general plan of analysis is as follows:

(1) Assume some valid fields $\mathbf{e}, \mathbf{h}, \mathbf{d}, \mathbf{b}$ in and around a metamaterial slab.

(2) Apply a transformation (‘‘symmetry’’) \mathcal{S} with regard to which Maxwell’s equations are invariant: $e' = \mathcal{S}e$, etc.

(3) Find coarse-level $\mathbf{E}, \mathbf{H}, \mathbf{D}, \mathbf{B}$: $\mathbf{E} = f_1(\mathbf{e})$, $\mathbf{H} = f_2(\mathbf{h})$, $\mathbf{D} = g_1(\mathbf{H})$, $\mathbf{B} = g_2(\mathbf{E})$; $\mathbf{E}' = f_1(\mathbf{e}')$, etc., where functions f_1 and f_2 are boundary averages [17] and functions g_1 and g_2 come from Maxwell’s equations.

(4) Given $\{\mathbf{D}, \mathbf{B}\} = \mathcal{M}\{\mathbf{E}, \mathbf{H}\}$, $\{\mathbf{D}', \mathbf{B}'\} = \mathcal{M}\{\mathbf{E}', \mathbf{H}'\}$ determine the implications for \mathcal{M} .

Let us implement this plan if \mathcal{S} is complex conjugation. The governing equation for the s mode is

$$\nabla^2 e(\mathbf{r}) + k^2 \epsilon(\mathbf{r}) e(\mathbf{r}) = 0. \quad (\text{B1})$$

This equation is indeed invariant with respect to complex conjugation \mathcal{S} if ϵ is real. The original and transformed Bloch waves are, for a given \mathbf{q} ,

$$e_B(\mathbf{r}) = \tilde{e}_B(\mathbf{r}) \exp(i\mathbf{q} \cdot \mathbf{r}), \quad (\text{B2})$$

$$h_B(\mathbf{r}) = \frac{1}{ik} \frac{\partial e_B}{\partial n} = \tilde{h}_B(\mathbf{r}) \exp(i\mathbf{q} \cdot \mathbf{r}) \quad (\text{B3})$$

(tangential component). Here,

$$\tilde{h}_B(\mathbf{r}) = \frac{q_n}{k} \tilde{e}_B(\mathbf{r}) + \frac{1}{ik} \frac{\partial \tilde{e}_B(\mathbf{r})}{\partial n}. \quad (\text{B4})$$

For a real \mathbf{q} ,

$$e'_B(\mathbf{r}) = \tilde{e}_B^*(\mathbf{r}) \exp(-i\mathbf{q} \cdot \mathbf{r}), \quad (\text{B5})$$

with

$$h'_B(\mathbf{r}) = \frac{1}{ik} \frac{\partial e'_B}{\partial n} = \tilde{h}'_B(\mathbf{r}) \exp(-i\mathbf{q} \cdot \mathbf{r}), \quad (\text{B6})$$

$$\tilde{h}'_B(\mathbf{r}) = -\frac{q_n}{k} \tilde{e}_B^*(\mathbf{r}) + \frac{1}{ik} \frac{\partial \tilde{e}_B^*(\mathbf{r})}{\partial n} = -\tilde{h}_B^*(\mathbf{r}). \quad (\text{B7})$$

The above derivation formally shows that, as could be expected, if $\{\mathbf{e}(\mathbf{r}, \mathbf{q}), \mathbf{h}(\mathbf{r}, \mathbf{q})\}$ is a valid Bloch wave in a lossless structure, then $\{\mathbf{e}^*(\mathbf{r}, -\mathbf{q}), -\mathbf{h}^*(\mathbf{r}, -\mathbf{q})\}$ is also a valid Bloch wave. (Notably, the sign of the magnetic field is reversed because the direction of the wave is reversed.)

The amplitudes of the two respective plane waves in the homogenized medium are therefore related as

$$E'_0 = \langle \tilde{e}_B^* \rangle_S = E_0^*, \quad (\text{B8})$$

$$H'_0 = \langle \tilde{h}'_B \rangle_S = -\langle \tilde{h}_B^* \rangle_S = -H_0^*, \quad (\text{B9})$$

$$B'_0 = -\frac{q_n}{k} \langle \tilde{e}_B^* \rangle_S = -\frac{q_n}{k} E_0^* = -B_0^*. \quad (\text{B10})$$

Let there be a material tensor \mathcal{M} such that

$$\begin{pmatrix} \mathcal{M}_{11} & \mathcal{M}_{12} & \mathcal{M}_{13} \\ \mathcal{M}_{21} & \mathcal{M}_{22} & \mathcal{M}_{23} \\ \mathcal{M}_{31} & \mathcal{M}_{32} & \mathcal{M}_{33} \end{pmatrix} \begin{pmatrix} E_0 \\ H_{0x} \\ H_{0y} \end{pmatrix} = \begin{pmatrix} D_0 \\ B_{0x} \\ B_{0y} \end{pmatrix}. \quad (\text{B11})$$

Then, from Eqs. (B8)–(B10) it follows that entries \mathcal{M}_{12} , \mathcal{M}_{13} , \mathcal{M}_{21} , \mathcal{M}_{31} are purely imaginary, while all others are real. Indeed, substituting into Eq. (B11) a valid wave with amplitudes (E_0, H_{0x}, H_{0y}) , we have, say, for the first equation in the system,

$$\mathcal{M}_{11} E_0 + \mathcal{M}_{12} H_{0x} + \mathcal{M}_{13} H_{0y} = D_0,$$

and for the corresponding conjugate wave with $(E_0^*, -H_{0x}^*, -H_{0y}^*)$,

$$\mathcal{M}_{11} E_0^* - \mathcal{M}_{12} H_{0x}^* - \mathcal{M}_{13} H_{0y}^* = D_0^*.$$

From the above equations for the two waves, it can immediately be seen that

$$[(\mathcal{M}_{11} - \mathcal{M}_{11}^*) + (\mathcal{M}_{12} + \mathcal{M}_{12}^*)\eta_x(\theta_B) + (\mathcal{M}_{13} + \mathcal{M}_{13}^*)\eta_y(\theta_B)] = 0, \quad (\text{B12})$$

where we introduced the notation $\eta_{x,y} \equiv E_0/H_{0x,0y}$ and noted that the η depend on the direction of propagation of the Bloch wave. Equation (B12) can hold for all directions of propagation only if

$$\mathcal{M}_{11} = \mathcal{M}_{11}^*, \quad \mathcal{M}_{12} = -\mathcal{M}_{12}^*, \quad \mathcal{M}_{13} = -\mathcal{M}_{13}^*,$$

i.e., if \mathcal{M}_{11} is real and \mathcal{M}_{12} , \mathcal{M}_{13} are purely imaginary. Similarly, \mathcal{M}_{21} , \mathcal{M}_{31} must also be purely imaginary, while \mathcal{M}_{22} , \mathcal{M}_{23} , \mathcal{M}_{32} , and \mathcal{M}_{33} must be real.

-
- [1] A. Sihvola, Metamaterials in electromagnetics, *Metamaterials* **1**, 2 (2007).
- [2] R. V. Mikhaylovskiy, E. Hendry, and V. V. Kruglyak, Negative permeability due to exchange spin-wave resonances in thin magnetic films with surface pinning, *Phys. Rev. B* **82**, 195446 (2010).
- [3] R. Zivieri, Metamaterial properties of one-dimensional and two-dimensional magnonic crystals, *Solid State Physics* **63**, 151 (2012).
- [4] Evanescent waves can be included if “angle” is understood as an imaginary quantity.
- [5] N. S. Bakhvalov and G. Panasenko, *Homogenisation: Averaging Processes in Periodic Media, Mathematical Problems in the Mechanics of Composite Materials* (Kluwer Academic Publishers, Dordrecht, Boston, 1989).
- [6] A. Bensoussan, J. L. Lions, and G. Papanicolaou, *Asymptotic Analysis for Periodic Structures* (American Mathematical Society, Providence, R.I., 2011).
- [7] G. Milton, *The Theory of Composites* (Cambridge University Press, Cambridge, New York, 2002).
- [8] A. Bossavit, G. Griso, and B. Miara, Modelling of periodic electromagnetic structures bianisotropic materials with memory effects, *J. Math. Pure Appl.* **84**, 819 (2005).
- [9] I. Tsukerman, Negative refraction and the minimum lattice cell size, *J. Opt. Soc. Am. B* **25**, 927 (2008).
- [10] V. A. Markel and J. C. Schotland, Homogenization of Maxwell’s equations in periodic composites: Boundary effects and dispersion relations, *Phys. Rev. E* **85**, 066603 (2012).
- [11] Y. Z. Xiong, L. J. Jiang, V. A. Markel, and I. Tsukerman, Surface waves in three-dimensional electromagnetic composites and their effect on homogenization, *Opt. Express* **21**, 10412 (2013).
- [12] X. Y. Z. Xiong, L. L. Meng, L. J. Jiang, W. E. I. Sha, and F. Yang, Efficient calculation of large finite periodic structures based on surface wave analysis, *IEEE Trans. Antennas Propag.* **63**, 69 (2015).
- [13] C. R. Simovski, Material parameters of metamaterials (a review), *Opt. Spectrosc.* **107**, 726 (2009).
- [14] D. R. Smith, Willie J. Padilla, D. C. Vier, S. C. Nemat-Nasser, and S. Schultz, Composite Medium with Simultaneously Negative Permeability and Permittivity, *Phys. Rev. Lett.* **84**, 4184 (2000).
- [15] C. Menzel, C. Rockstuhl, R. Iliew, and F. Lederer, High symmetry versus optical isotropy of a negative-index metamaterial, *Phys. Rev. B* **81**, 195123 (2010).
- [16] V. A. Markel and I. Tsukerman, Current-driven homogenization and effective medium parameters for finite samples, *Phys. Rev. B* **88**, 125131 (2013).
- [17] I. Tsukerman and V. A. Markel, A nonasymptotic homogenization theory for periodic electromagnetic structures, *Proc. R. Soc. London, Ser. A* **470**, 20140245 (2014).

- [18] T.-H. Pei and Y.-T. Huang, Effective refractive index of the photonic crystal deduced from the oscillation model of the membrane, *J. Opt. Soc. Am. B* **29**, 2334 (2012).
- [19] D. Sjöberg, C. Engstrom, G. Kristensson, D. J. N. Wall, and N. Wellander, A Floquet–Bloch decomposition of Maxwell’s equations applied to homogenization, *Multiscale Model. Simul.* **4**, 149 (2005).
- [20] Transmission is easy to define only for a finite-thickness slab; for a half space, the focus is on reflection as a function of the angle of incidence.
- [21] The term “rms” here should be taken literally only in special cases such as 1D or s modes; otherwise power averaging is more complicated.
- [22] Although different and nonequivalent expressions for the heating rate exist [23], our final conclusion here does not depend on which of these expressions is used in the analysis.
- [23] V. A. Markel, Correct definition of the Poynting vector in electrically and magnetically polarizable medium reveals that negative refraction is impossible, *Opt. Express* **16**, 19152 (2008).
- [24] I. Tsukerman, Electromagnetic applications of a new finite-difference calculus, *IEEE Trans. Magn.* **41**, 2206 (2005).
- [25] I. Tsukerman, A class of difference schemes with flexible local approximation, *J. Comput. Phys.* **211**, 659 (2006).
- [26] I. Tsukerman, *Computational Methods for Nanoscale Applications: Particles, Plasmons and Waves* (Springer, New York, 2008).
- [27] I. Tsukerman and F. Čajko, Photonic band structure computation using FLAME, *IEEE Trans. Magn.* **44**, 1382 (2008).
- [28] S. Kirkpatrick, C. D. Gelatt Jr., and M. P. Vecchi, Optimization by simulated annealing, *Science* **220**, 671 (1983).
- [29] R. H. J. M. Otten and L. P. P. P. van Ginneken, *The Annealing Algorithm* (Kluwer, Boston, 1989).
- [30] V. A. Markel and I. Tsukerman, Can photonic crystals be homogenized in higher bands? [arXiv:1512.05148](https://arxiv.org/abs/1512.05148).