

TABLE III. Szegedi charge.  $e^* = e(1 - \Gamma_+ - \Gamma_-)$ ,  $\Gamma = 2(\gamma_l + 2\gamma_t)$ .

	Cation			Anion			Theory $e^*/e$	Data $e^*/e$
	$\gamma_l$	$\gamma_t$	$\Gamma$	$\gamma_l$	$\gamma_t$	$\Gamma$		
NaF	-0.002	0.000	-0.004	0.167	-0.024	0.238	0.77	0.83
NaCl	-0.014	0.001	-0.024	0.160	-0.018	0.248	0.78	0.76
NaBr	-0.017	0.001	-0.030	0.160	-0.018	0.248	0.78	0.73
KF	-0.012	0.001	-0.020	0.135	-0.017	0.202	0.82	0.88
KCl	-0.046	0.003	-0.080	0.149	-0.016	0.234	0.85	0.79
KBr	-0.054	0.006	-0.084	0.151	-0.017	0.234	0.85	0.76
RbF	-0.019	0.002	-0.046	0.117	-0.014	0.178	0.87	0.92
RbCl	-0.059	0.005	-0.098	0.130	-0.014	0.204	0.89	0.85
RbBr	-0.081	0.006	-0.138	0.139	-0.016	0.214	0.92	0.83

**Erratum: Theory of exchange interactions and chemical trends in diluted magnetic semiconductors**  
**[Phys. Rev. B 37, 4137 (1988)]**

B. E. Larson, K. C. Hass, H. Ehrenreich, and A. E. Carlsson

The estimates of the Mn-Mn exchange constant  $J_1^{dd}$  derived from the difference between ferromagnetic and antiferromagnetic ASW results in Table III and in paragraph 3 of Sec. IV are too small by a factor of 2 due to a numerical error. We emphasize that the principal results of the paper based on fourth-order perturbation theory are entirely unaffected and remain as stated. On p. 4138 the lattice constant of zinc-blende MnTe was misprinted and should read 6.340 Å. We thank S.-H. Wei for bringing these matters to our attention.