

**Erratum: Jet production in (un)polarized  $pp$  collisions: Dependence on jet algorithm**  
**[Phys. Rev. D **86**, 094009 (2012)]**

Asmita Mukherjee and Werner Vogelsang



(Received 23 May 2023; published 9 June 2023)

DOI: [10.1103/PhysRevD.107.119901](https://doi.org/10.1103/PhysRevD.107.119901)

The statement, “Since for  $d\hat{\sigma}_{j(k)}$  the jet is obtained from the single parton  $j$ , it is independent of the jet definition” made in the last paragraph of Sec. II B is incorrect. As a result, use of  $d\hat{\sigma}_{j(k)}$  from the previous literature [1] turns out to be adequate for  $k_T$ -type algorithms but not for the cone algorithm, for which it leads to a violation of momentum sum rules [2–4]. Corrected formulas may be found in [5,6] in terms of jet functions. The numerical effects related to these corrections for the cone algorithm are very small.

- [1] B. Jäger, M. Stratmann, and W. Vogelsang, *Phys. Rev. D* **70**, 034010 (2004).
- [2] L. Dai, C. Kim, and A. K. Leibovich, *Phys. Rev. D* **94**, 114023 (2016).
- [3] M. Procura and W. J. Waalewijn, *Phys. Rev. D* **85**, 114041 (2012).
- [4] Z. B. Kang, F. Ringer, and W. J. Waalewijn, *J. High Energy Phys.* 07 (2017) 064.
- [5] T. Kaufmann, A. Mukherjee, and W. Vogelsang, *Phys. Rev. D* **92**, 054015 (2015); **101**, 079901(E) (2020).
- [6] T. Kaufmann, Ph.D. thesis, University of Tübingen, Germany, 2017.