Errata

Erratum: High-energy photons from quark-gluon plasma versus hot hadronic gas [Phys. Rev. D 44, 2774 (1991)]

Joseph Kapusta, Peter Lichard, and David Seibert

There was an error in the computer program used to make some of the graphs. All curves for $\pi\pi \to \rho\gamma$ should be reduced by a factor of 2. This error does not appear in any formula in the text. We thank Chungsik Song for finding this error.

Erratum: Comment on "Exact analytical form for the box diagram with one heavy external quark" [Phys. Rev. D 46, 1205 (1992)]

Hiroshi Ozaki

There is a sign error in Eq. (4a). It should read

$$
\begin{aligned}
D_k(x_i, x_j) = & \left[x_j \left[\frac{(p_{ki}-q_{kj})^2}{4x_h} - \frac{q_{kj}}{2} \right] - x_i \left[\frac{(p_{ki}-q_{kj})^2}{4x_h} - \frac{p_{ki}}{2} \right] - \frac{x_i x_j}{x_h}(p_{ki}-q_{kj}) \right. \\
& + \left[1 + \frac{1}{4}x_i x_j \right] \left[\frac{1}{4}\frac{(p_{ki}-q_{kj})^3}{x_h^2} - \frac{p_{ki}^2 - q_{kj}^2}{8x_h} \right] \left. \right] \ln\frac{p_{ki}}{q_{kj}} \\
& + \left[1 + \frac{1}{4}x_i x_j \right] \left[\frac{p_{ki}+q_{kj}}{2} \right] \ln(p_{ki}q_{kj}) + \left[1 + \frac{1}{4}x_i x_j \right] \frac{p_{ki}q_{kj}}{x_h} \\
& + \left[\left[\frac{|\Delta_k|+\Delta_k}{2} \right]^{1/2} \ln|\Xi_k| + \left[\frac{|\Delta_k|-\Delta_k}{2} \right]^{1/2} \Theta_k \right] \\
& \times \left[\left[1 + \frac{1}{4}x_i x_j \right] \left[\frac{(p_{ki}-q_{kj})^2}{2x_h} + \frac{1}{4}(p_{ki}+q_{kj}) - \frac{3}{4}x_h \right] \right. \\
& \left. + \frac{x_j}{2}(p_{ki}-q_{kj}+x_h) - \frac{x_i}{2}(p_{ki}-q_{kj}-x_h) - 2x_i x_j \right] .
\end{aligned}
\tag{4a}
$$

The definition of the charge asymmetry parameter on page 1208, line 18 of the second column, should read

$$ a \equiv (N_{++} - N_{--})/(N_{++} + N_{--}) . $$