

Erratum: Meson-meson interactions in a nonperturbative chiral approach [Phys. Rev. D 59, 074001 (1999)]

J. A. Oller, E. Oset, and J. R. Peláez
(Published 1 October 1999)

[S0556-2821(99)01919-0]

PACS number(s): 12.39.Fe, 11.80.Et, 13.75.Lb, 14.40.-n, 99.10.+g

Table III developed misprints in transcription from the original to the published paper. We present the correct table below.

TABLE III. Masses and partial widths in MeV.

Channel (I, J)	Resonance	Mass from pole	Width from pole	Mass effective	Width effective	Partial widths
(0,0)	σ	442	454	≈ 600	<i>very large</i>	$\pi\pi$ —100%
(0,0)	$f_0(980)$	994	28	≈ 980	≈ 30	$\pi\pi$ —65% $\overline{KK}$ —35%
(0,1)	$\phi(1020)$	980	0	980	0	
(1/2,0)	κ	770	500	≈ 850	<i>very large</i>	$K\pi$ —100%
(1/2,1)	$K^*(890)$	892	42	895	42	$K\pi$ —100%
(1,0)	$a_0(980)$	1055	42	980	40	$\pi\eta$ —50% $\overline{KK}$ —50%
(1,1)	$\rho(770)$	759	141	771	147	$\pi\pi$ —100%