## Impossibility result for Markov chain Monte Carlo sampling from microcanonical bipartite graph ensembles

Giulia Preti<sup>1</sup>,<sup>1,\*</sup> Gianmarco De Francisci Morales<sup>1,†</sup> and Matteo Riondato<sup>2,‡</sup> <sup>1</sup>CENTAI, Corso Inghilterra 3, 10138 Turin, Italy <sup>2</sup>Amherst College, 25 East Drive, Amherst, Massachusetts 01002, USA

(Received 13 July 2023; accepted 16 April 2024; published 13 May 2024)

Markov Chain Monte Carlo (MCMC) algorithms are commonly used to sample from graph ensembles. Two graphs are neighbors in the state space if one can be obtained from the other with only a few modifications, e.g., edge rewirings. For many common ensembles, e.g., those preserving the degree sequences of bipartite graphs, rewiring operations involving two edges are sufficient to create a fully connected state space, and they can be performed efficiently. We show that, for ensembles of bipartite graphs with fixed degree sequences and number of butterflies ( $k_{2,2}$  bicliques), there is no universal constant *c* such that a rewiring of at most *c* edges at every step is sufficient for any such ensemble to be fully connected. Our proof relies on an explicit construction of a family of pairs of graphs with the same degree sequences and number of butterflies, with each pair indexed by a natural *c*, and such that any sequence of rewiring operations transforming one graph into the other must include at least one rewiring operation involving at least *c* edges. Whether rewiring this many edges is sufficient to guarantee the full connectivity of the state space of any such ensemble remains an open question. Our result implies the impossibility of developing efficient, graph-agnostic, MCMC algorithms for these ensembles, as the necessity to rewire an impractically large number of edges may hinder taking a step on the state space.

DOI: 10.1103/PhysRevE.109.L053301

Introduction. Testing the statistical significance of properties of an observed network is a fundamental problem in network science [1]. The significance of the observed value is tested against a null model, an ensemble  $\mathcal{H} = (\mathcal{G}, \pi)$  composed of the set  $\mathcal{G}$  of possible graphs that can be realized under the null hypothesis and a probability distribution  $\pi$  over  $\mathcal{G}$ . One typically selects some descriptive characteristics of the observed network, and either defines  $\mathcal{G}$  and  $\pi$  in such a way that the expectations w.r.t.  $\pi$  of these characteristics over  $\mathcal{G}$  are the same as the observed ones (a.k.a. the canonical model), or defines  $\mathcal{G}$  as the set of all and only the graphs with exactly the same values for the characteristics as the observed network, and  $\pi$  can be any distribution, often the uniform. Once the null model is defined, one proceeds by sampling several graphs from this ensemble. These graphs are used to approximate the distribution of the test statistic of interest under the null hypothesis. By comparing the observed statistic to this distribution one can compute an empirical p value.

For example, the widely used "configuration model" [2] considers the set of graphs with the same degree sequence as the observed network and the uniform distribution. This model has been instrumental in determining that clustering, assortativity, and community structure in real networks are not solely dependent on node degrees, hence highlighting their significance [3]. However, the configuration model fails

to generate graphs with a local structure similar to the observed graph [4]. Researchers have thus explored alternative null models that sample from graph families defined by more complex characteristics of the observed graph, such as joint degree distribution [4–7], core-value sequence [8], and local triangle-count sequence [9].

In this work, we focus on bipartite graphs, i.e., networks whose nodes can be partitioned into two classes such that all edges go from one class to the other. Formally, a bipartite graph is a tuple  $G \doteq (L, R, E)$ , where L and R are disjoint sets of nodes called left and right nodes, respectively, and  $E \subseteq L \times R$  is a set of edges connecting nodes in L to nodes in R. We consider undirected bipartite graphs, but for ease of presentation, we denote any edge (u, a) so that  $u \in L$  and  $a \in R$ . For any vertex  $v \in L \cup R$ , we denote with  $\Gamma_G(v)$  the set of neighbors of v, i.e., the vertices to which v is connected by an edge in G, and we define the degree  $d_G(v)$  of v in G as  $d_G(v) \doteq |\Gamma_G(v)|$ . Assuming an arbitrary but fixed labeling  $u_1, \ldots, u_{|L|}$  (resp.  $a_1, \ldots, a_{|R|}$ ) of the nodes in L (resp. R), the vector  $\langle d_G(u_1), \ldots, d_G(u_{|L|}) \rangle$  (resp.  $\langle d_G(a_1), \ldots, d_G(a_{|R|}) \rangle$ ) is known as the left (resp. right) degree sequence of G.

Bipartite networks occur naturally in many applications: when representing words and documents [10], items and itemsets [11], higher-order networks such as hypergraphs and simplicial complexes [12], and many more. Null models and graph ensembles can also be defined on bipartite graphs [11,13,14]. For example, Preti *et al.* [11] introduce a null model that preserves the bipartite joint adjacency matrix [i.e., the matrix whose (i, j)th entry is the number of edges connecting nodes from *L* with degree *i* to nodes in *R* with degree *j*], of an observed network (thus, the degree sequences

<sup>\*</sup>giulia.preti@centai.eu

<sup>&</sup>lt;sup>†</sup>gdfm@acm.org

<sup>&</sup>lt;sup>‡</sup>mriondato@amherst.edu

and the number of caterpillars, i.e., paths of length three), and give Markov Chain Monte Carlo (MCMC) algorithms to sample from this null model. Null models for bipartite graphs are also of particular interest because they align with null models for 0–1 binary matrices [15], Ch. 6. For example, preserving the degree sequences in a bipartite graph corresponds to preserving the row and column marginals of the corresponding biadjacency matrix, and several MCMC algorithms have been developed to sample from this null model [16–20].

We consider graph ensembles for which  $\mathcal{G}$  is the set of all bipartite graphs  $G \doteq (L, R, E)$  that share the same degree sequences and the same number of butterflies, i.e.,  $k_{2,2}$  bicliques, defined as follows.

Definition 1 (Butterfly). Let  $G \doteq (L, R, E)$  be a bipartite graph. Two distinct nodes  $u, v \in L$  and two distinct nodes  $a, b \in R$  belong to the butterfly $A = \{u, v, a, b\}$  in G if and only if  $\{(u, a), (u, b), (v, a), (v, b)\} \subseteq E$ .

The following result, whose proof is immediate, gives an expression for the number of butterflies to which two nodes both belong.

*Fact 1.* Let  $G \doteq (L, R, E)$  be a bipartite graph, and let u and v be distinct nodes in L. The number  $b_G(u, v)$  of butterflies in G to which both u and v belong is

$$\mathsf{b}_G(u, v) = \binom{|\Gamma_G(u) \cap \Gamma_G(v)|}{2},$$

where we assume  $\binom{0}{2} = \binom{1}{2} = 0$ . A similar result holds for any two distinct nodes in *R*.

For  $u \in L$ , we denote with  $b_G(u)$  the number of butterflies in *G* to which *u* belongs. It holds

$$\mathbf{b}_G(u) = \sum_{\substack{v \in L \\ v \neq u}} \mathbf{b}_G(u, v). \tag{1}$$

The total number b(G) of butterflies in G is then

$$\mathbf{b}(G) \doteq \frac{1}{2} \sum_{u \in L} \mathbf{b}_G(u). \tag{2}$$

The butterfly, being the smallest complete subgraph in a bipartite graph, is the most basic building block for composing more complex structures, analogous to the triangle in unipartite graphs. Consequently, preserving the number of butterflies emerges as a natural choice when defining null models that retain more graph properties beyond just the degree sequences. This concept finds applications in studying, e.g., clustering patterns [21].

MCMC methods are a popular approach to sample from an ensemble  $\mathcal{H} = (\mathcal{G}, \pi)$ . They define a suitable Markov chain on the space  $\mathcal{G}$  of all possible graphs, such that, after a sufficient burn-in period, the state of the Markov chain is approximately distributed according to  $\pi$ . The correctness of this process requires the Markov chain to be finite, irreducible, and aperiodic [2]. Efficient sampling requires not only that the Markov chain has a fast mixing time, but also that the space can be explored quickly, i.e., that obtaining a neighbor from the current state is efficient. The double edge swap technique, also known as degree-preserving rewiring [22], checkerboard swap [23], or tetrad [17], is a simple yet fundamental randomization technique used to generate a new graph with the same degree sequence as a given graph. Its efficiency stems from the fact that it involves the rewiring of a small number of edges. In bipartite graphs, the most basic rewiring technique is known as the bipartite swap operation (BSO).

Definition 2 (BSO). Let  $G \doteq (L, R, E)$  be a bipartite graph and  $u \neq v \in L$ ,  $a \neq b \in R$  such that  $(u, a), (v, b) \in E$  and  $(u, b), (v, a) \notin E$ . The BSO involving (u, a) and (v, b) removes (u, a) and (v, b) from E, and adds (u, b) and (v, a) to E. The resulting bipartite graph  $G' = (L, R, (E \setminus \{(u, a), (v, b)\}) \cup \{(u, b), (v, a)\})$  has the same left and right degree sequence of G.

A more sophisticated operation is the q-edge bipartite swap operation (q-BSO), which may involve the simultaneous swapping of multiple edges, potentially between a large set of nodes, similar to the q-switch operation defined by Tabourier *et al.* [24].

Definition 3 (q-BSO). Let  $G \doteq (L, R, E)$  be a bipartite graph and  $q \in \mathbb{N}^+$ . A q-BSO is a pair  $\mathsf{sw}^q \doteq (S, \sigma)$  with  $S = \langle e_1, \ldots, e_q \rangle$  being a vector of q distinct edges  $e_i \doteq (u_i, a_i) \in E$ , and  $\sigma$  being a derangement of [q], i.e., a permutation of [q] with no element in its original position, s.t.  $(u_j, a_{\sigma(j)}) \notin E$  for each  $j \in [1, q]$ . Replacing each  $e_j$  with  $(u_j, a_{\sigma(j)})$  generates a bipartite graph  $G' = (L, R, (E \setminus S) \cup \{(u_j, a_{\sigma(j)}) \text{ for } j \in [1, q]\})$  with the same left and right degree sequence as G.

According to this definition, a BSO involving (u, a) and (v, b) can be seen as the 2-BSO  $(\langle (u, a), (v, b) \rangle, (2 1))$ . Algorithms such as Verhelst's [17] and Curveball [20] aim to speed up the sampling from the ensemble of bipartite graphs with fixed degree sequences. They execute multiple BSO operations at each step by selecting nodes u and v from L (or R) and exchanging multiple edges originating from u with edges originating from v. Conversely, a q-BSO may involve the simultaneous swapping of multiple edges originating from multiple source nodes. Thus, the moves considered by Curveball and Verhelst's can be expressed as q-BSOs, but q-BSOs are more expressive, in the sense that there are q-BSOs that do not correspond to possible moves for these algorithms.

Connectivity of the state space. A key requirement to use an MCMC method for sampling from a graph ensemble is that the state space, where each state corresponds to a graph in the ensemble, is strongly connected, i.e., for any two states G' and G'' there is a sequence  $\langle \rho_1, \rho_2, \ldots, \rho_\ell \rangle$  of graph-transforming operations for some  $\ell$  (which may depend on the chosen G' and G''), such that  $\rho_1$  transforms G' into some  $G_1$  that belongs to the state space,  $\rho_i$  for  $1 < i < \ell$  transforms  $G_i$  into  $G_{i+1}$  that also belongs to the state space, and  $\rho_{\ell}$  transforms  $G_{\ell-1}$  into G''. In other words, a class C of graph-transforming operations defines a neighborhood structure of the state space as follows: given any G in the state space, a neighbor of G is any state that can be obtained by applying a single operation from C, provided that the operation is applicable to G. With this neighborhood structure, the state space is strongly connected if there is a path from any state to any other state.

We can immediately see that the state space  $\mathcal{G}$  we consider is strongly connected by sequences of *q*-BSOs when *q* is large enough, for any left and right degree sequences, and any number of butterflies (see also [24], Sec. 3.2.2). In fact, there is always a  $|E' \setminus E''|$ -BSO that transforms any bipartite graph  $G' \doteq (L, R, E')$  into another bipartite graph  $G'' \doteq (L, R, E'')$ with the same left and right degree sequences, and number of butterflies (see the Supplemental Material [25] for details). While this fact ensures the strong connectivity of the state space via the union of all q-BSOs for q = 2, ..., |E'|, it has little practical relevance, as we now explain. If we use all these q-BSOs to define the neighborhood structure of the state space, the resulting space would be a complete graph, i.e., a clique. Consequently, drawing, according to any distribution, a neighbor of a given state would require a procedure to build an entirely new bipartite graph with the same degree sequences and the same number of butterflies from scratch. Developing such a procedure seems even harder than the problem we are attempting to solve, in the same way as devising algorithms for building a bipartite graph with prescribed degree sequences from scratch [26-30] is much harder than devising algorithms for sampling such a graph using MCMC approaches starting from an existing one [16-20].

The correct question to ask is therefore the following: is there a fixed, universal, constant  $q^*$  such that, for any left and right degree sequences, and any number of butterflies, any two bipartite graphs with those left and right degree sequences, and that number of butterflies, are connected by sequences  $(\mathbf{SW}_1^{p_1} = (S_1, \sigma_1), \dots, \mathbf{SW}_z^{p_z} = (S_z, \sigma_z))$  of  $p_i$ -BSOs, with  $p_i \leq q^*$ ,  $i = 1, \dots, z$ , where *z* may depend on the two graphs? By "universal" we mean a quantity that in no way depends on properties of the ensemble ( $\mathcal{G}, \pi$ ), including properties of the observed network.

Asking this question is reasonable: it is known that  $q^* = 2$  when one is only interested in preserving the degree sequences [15], Ch. 6, and it is also known that  $q^* = 2$  for the case of preserving the degree sequences and the number of paths of length three (a.k.a. caterpillars), in which case the rewiring operations slightly differ from the traditional BSOs [11,31].

Additionally, we would like  $q^*$  to be small, because sampling a *q*-BSO is not necessarily efficient: the naïve approach of independently sampling *q* edges and then verifying whether they form a valid *q*-BSO has an increasing probability of failure as *q* increases [24]. As a result, the Markov chain would exhibit a high probability of staying in the same state for many consecutive steps, greatly increasing the mixing time.

For unipartite graphs, it has been proved that  $q^* = 2$  is not always sufficient to ensure strong connectivity of spaces of graphs that share more complex properties [24,31]. In this work, we demonstrate the nonexistence of a fixed, universal, constant  $q^*$  for the ensemble of bipartite graphs with the same left and right degree sequences and the same number of butterflies.

Let us give some intuition with an example, which shows that it cannot be  $q^* < 4$ . Figure 1 shows two bipartite graphs  $G_1$  (upper) and  $G_2$  (lower) with the same left and right degree sequences, and the same number of butterflies  $b(G_1) =$  $b(G_2) = 10$ . There is no sequence of q-BSOs for q < 4that, when applied to  $G_1$ , generates a graph isomorphic to  $G_2$ : any q-BSO for q < 4 applied to  $G_1$  either generates a graph with a different number of butterflies, or generates a graph isomorphic to  $G_1$ . On the other hand, the 4-BSO ([ $(x_1, y_5), (x_5, y_1), (x_6, y_{10}), (x_{10}, y_6)$ ],  $\sigma$ ) with  $\sigma(1) =$ 3,  $\sigma(2) = 4$ ,  $\sigma(3) = 1$ , and  $\sigma(4) = 2$  ensures that the two butterflies { $x_1, x_5, y_1, y_5$ } and { $x_6, x_{10}, y_6, y_{10}$ } disappear, while the two new butterflies { $x_1, x_{10}, y_1, y_{10}$ } and { $x_5, x_6, y_5, y_6$ } appear, hence preserving the total count  $b(G_1)$ .



FIG. 1. Graphs that are not connected by *q*-BSOs for q < 4.

Our main result is the following theorem (see proof in the Supplemental Material [25]).

Theorem 1. For any  $\bar{q} \in \mathbb{N}$  with  $\bar{q} > 1$ , there exist two nonisomorphic bipartite graphs  $G_b$  and  $G_e$  with the same left and right degree sequences, and  $\mathbf{b}(G_b) = \mathbf{b}(G_e)$ , such that for any sequence  $\langle \mathbf{SW}_1^{p_1} = (S_1, \sigma_1), \dots, \mathbf{SW}_z^{p_z} = (S_z, \sigma_z) \rangle$  of  $p_i$ -BSOs with  $p_i \in \mathbb{N}^+$ ,  $i = 1, \dots, z$ , that transforms  $G_b$  into  $G_e$ , there exists  $\ell \in \{1, \dots, z\}$  with  $p_\ell \ge \bar{q}$ .

Our proof consists of two parts. First, we construct two bipartite graphs  $G_b$  and  $G_e$  with the same left and right degree sequences (which will depend on  $\bar{q}$  as the second largest left degree will be greater than  $\bar{q}$ ), and the same number of butterflies. Second, we demonstrate that any sequence of q-BSOs applied to  $G_b$  to obtain a graph isomorphic to  $G_e$  must involve at least one q-BSO for  $q > \bar{q}$ . Since  $\bar{q}$  can be arbitrarily large, a universal constant  $q^*$  as above cannot exist.

This theorem proves that it is impossible to design efficient MCMC algorithms that sample from ensembles  $\mathcal{H} = (\mathcal{G}, \pi)$  of bipartite graphs with the same degree sequences and the same number of butterflies, because the state space is not strongly connected by edge swap operations that involve only up to a fixed, universal, number of edges, as is instead the case for simpler null models. Rather, the minimum number of edges that must be involved depends on properties of the state space  $\mathcal{G}$ , not just of the observed network. These may not be easily computable, as they may not depend just on the observed network, if any.

This result has profound implications for the design of network null models and for network science in general. If it is unfeasible to preserve the occurrences of the simplest building block of bipartite graphs (the butterfly), it becomes unfeasible to preserve larger structures. When dealing with bipartite graphs and complex observed characteristics, ensembles with "soft" constraints, where the constraints are retained on average over all the graphs sampled from the ensemble [32], might be the only viable option.

The algorithm to construct the graphs  $G_b$  and  $G_e$  is delineated in the Supplemental Material [25]. We now describe the main characteristics of such graphs.

Let *s* and *t* be two naturals with  $s > t \ge 2$  and 2(s - 1) > k. We define  $n \doteq {s \choose 2} + {t \choose 2}$  and  $a \doteq ((s + 1) \mod 2) + ((t + 1) \mod 2)$ . The graphs  $G_b$  and  $G_e$  output by the algorithm with inputs *s* and *t* have the following properties:

(i)  $G_b$  and  $G_e$  have 7 + a left nodes (denoted with the letter x) and s + t + n + 2 + a right nodes (denoted with the letter y);



FIG. 2. Bipartite graphs generated by our algorithm (see the Supplemental Material [25]) for s = 2 and t = 3.

(ii)  $G_b$  and  $G_e$  have the same left and right degree sequences. In particular,  $x_1$  and  $x_2$  have degree s,  $x_3$  and  $x_4$  have degree t,  $x_5$  and  $x_6$  have degree n + 1,  $y_i$  has degree 2 for  $1 \le i \le s + t + n + 1$ , and all the other left and right nodes have degree 1;

(iii)  $b(G_b) = b(G_e) = n + \binom{n}{2};$ 

(iv)  $|\Gamma_{G_e}(x_5) \cap \Gamma_{G_e}(x_6)| = n + 1$ , which, with the previous point, implies that  $x_5$  and  $x_6$  belong to all butterflies in  $G_e$ , and every other node  $y \in R$  belongs to no butterfly;

(v)  $|\Gamma_{G_b}(x_5) \cap \Gamma_{G_b}(x_6)| = n$ ,  $|\Gamma_{G_b}(x_1) \cap \Gamma_{G_b}(x_2)| = s$ ,  $|\Gamma_{G_b}(x_3) \cap \Gamma_{G_b}(x_4)| = t$ , which implies, with point two, that  $x_5$  and  $x_6$  do not belong to all butterflies in  $G_b$ .

Figure 2 shows the bipartite graphs generated for s = 2 and t = 3.

*Discussion.* MCMC approaches based on swaps of pairs of edges can efficiently sample graphs from simple ensembles, such as those including graphs with prescribed degree sequences, or fixed number of paths of length up to three [11]. The correctness of these approaches relies on the fact that pairwise edge swaps create a strongly connected state space. They are efficient because proposing a neighbor to move to is relatively easy, requiring only to be able to efficiently sample pairs of edges.

In the case of ensembles preserving more complex properties of the networks, the strong connectivity of the state space may require more than two edges to be swapped at every step, i.e., performing q switches [24], or q-BSOs, for some value of q.

In this work, we consider the ensemble of bipartite graphs with fixed degree sequences and fixed number of butterflies  $(k_{2,2} \text{ bicliques})$ , for its important role in a variety of applications, e.g., investigating clustering patterns [21]. We show that the state space is not strongly connected by sequences of q-BSOs for any fixed, universal, constant q. In other words, the number of edges to be rewired at each step is upper bounded by a quantity that depends on properties of the graphs in the ensemble. This result is in strong contrast with the cases for the space of bipartite graphs with fixed degree sequences, and for that of bipartite graphs with fixed degree sequences and fixed number of paths of length three (a.k.a. caterpillars), where q = 2 is sufficient for all ensembles [11,31].

This discovery has far-reaching implications for network science. First and foremost, we rule out the possibility of designing efficient MCMC algorithms for sampling from the space of bipartite graphs with fixed degree sequences and fixed number of butterflies, specifically, from the microcanonical ensemble that maintains these properties exactly. In fact,

we demonstrate the necessity of swaps with size dependent on the characteristics of the graph space G, not necessarily just on the observed network. Finding what this size  $q_G^*$  is may not even be feasible. It may perhaps be possible to develop an efficient procedure to find this quantity, but then one also needs an efficient procedure to, at each step of the Markov chain, generate a q-BSO for  $q \leq q_{C}^{*}$ , to propose a neighbor to move to. Solving both these algorithmic questions seems challenging. Moreover, the lower bound  $\bar{q}$  to the size of the BSOs needed to connect the two graphs  $G_b$  and  $G_e$  from Theorem 1 gives only a necessary condition for the strong connectivity of the graph space, not a sufficient one: we only know that one of the BSOs to connect these two graphs must contain more than  $\bar{q}$  edges, but not exactly how many. Even if we knew exactly this number  $\hat{q}$ , there may be other pairs of graphs in the same ensemble (i.e., with the same degree sequences and number of butterflies) such that any sequence of BSOs connecting these two graphs must have size even greater than  $\hat{q}$ . Therefore, the situation might be even more dire than our findings suggest.

Given that sampling from a null model that preserves the number of butterflies is impractical, preserving larger structures seems an even more unattainable task. A butterfly is at the same time the smallest cycle and the smallest nontrivial biclique, hence it is a basic building block of bipartite graphs. Thus, our findings present a large obstacle to developing efficient algorithms to sample from more complex ensembles, and therefore to testing network properties under more descriptive null models.

What other options are then available, if any? If one wishes to maintain the number of butterflies as a hard constraint (i.e., to sample from the microcanonical ensemble), one potential approach involves avoiding MCMC algorithms and opting for a direct-sampling algorithm like stub matching [33]. However, such algorithms are already limited to small graph instances, for the case of sampling from the space of graphs with the same degree sequence, due to their complexity scaling quadratically or cubically with the number of nodes, depending on the graph density [34,35]. The straightforward application of existing stub-matching techniques may also suffer from generating graphs with a different number of butterflies, thus leading to a high rejection rate. Thus, we need to explore alternative methodologies or refine existing stub-matching algorithms to better accommodate these more complex constraints. Finally, implementations of canonical methods, such as the Chung-Lu model [36], offer a more efficient alternative, albeit at the cost of imposing a soft constraint. Indeed, while the ensemble average aligns precisely with the desired value of each constraint, individual graph instances may lie far from the desired constraints. The canonical ensemble brings other challenges, including difficulties in generating graphs that closely match the desired expectations for certain degree distributions (degeneracy problem) [37–41].

Overall, our findings represent a strong negative result that the network science community needs to reckon with. By showing that this research avenue is not fruitful, we hope to spur alternative and innovative approaches to designing null models for graphs, and algorithms for sampling from them.

Acknowledgments. M.R. was sponsored in part by NSF Grants No. IIS-2006765 and No. CAREER-2238693.

- [1] M. E. Newman, SIAM Rev. 45, 167 (2003).
- [2] B. K. Fosdick, D. B. Larremore, J. Nishimura, and J. Ugander, SIAM Rev. 60, 315 (2018).
- [3] G. Cimini, T. Squartini, F. Saracco, D. Garlaschelli, A. Gabrielli, and G. Caldarelli, Nat. Rev. Phys. 1, 58 (2019).
- [4] I. Stanton and A. Pinar, ACM J. Exp. Algorithmics 17, 3.1 (2012).
- [5] P. Mahadevan, D. Krioukov, K. Fall, and A. Vahdat, ACM SIGCOMM Comput. Commun. Rev. 36, 135 (2006).
- [6] C. Orsini, M. M. Dankulov, P. Colomer-de Simón, A. Jamakovic, P. Mahadevan, A. Vahdat, K. E. Bassler, Z. Toroczkai, M. Boguná, G. Caldarelli *et al.*, Nat. Commun. 6, 8627 (2015).
- [7] K. E. Bassler, C. I. Del Genio, P. L. Erdős, I. Miklós, and Z. Toroczkai, New J. Phys. 17, 083052 (2015).
- [8] K. Van Koevering, A. Benson, and J. Kleinberg, in *Proceedings* of the Web Conference 2021, WWW '21, Ljubljana, Slovenia (Association for Computing Machinery, New York, NY, 2021), pp. 367–378.
- [9] M. E. J. Newman, Phys. Rev. Lett. 103, 058701 (2009).
- [10] H. Zha, X. He, C. Ding, H. Simon, and M. Gu, in *Proceedings of the Tenth International Conference on Information and Knowledge Management, CIKM '01, Atlanta, Georgia, USA* (Association for Computing Machinery, New York, NY, 2001), pp. 25–32.
- [11] G. Preti, G. De Francisci Morales, and M. Riondato, Knowledge Inf. Syst. 66, 1917 (2023).
- [12] C. Berge, in Combinatorial Theory and its Applications I, Colloquia Mathematica Societatis János Bolyai, Vol. 4 (1970), pp. 119–133.
- [13] F. Saracco, R. Di Clemente, A. Gabrielli, and T. Squartini, Sci. Rep. 5, 10595 (2015).
- [14] Z. Neal, A. Cadieux, D. Garlaschelli, N. J. Gotelli, F. Saracco, T. Squartini, S. T. Shutters, W. Ulrich, G. Wang, and G. Strona, arXiv:2310.01284.
- [15] H. J. Ryser, *Combinatorial Mathematics* (American Mathematical Soc., Providence, RI, 1963), Vol. 14.
- [16] C. J. Carstens, Phys. Rev. E 91, 042812 (2015).
- [17] N. D. Verhelst, Psychometrika 73, 705 (2008).
- [18] G. Wang, Electron. J. Stat. 14, 1690 (2020).
- [19] R. Kannan, P. Tetali, and S. Vempala, Random Struct. Algorithms 14, 293 (1999).

PHYSICAL REVIEW E 109, L053301 (2024)

- [20] G. Strona, D. Nappo, F. Boccacci, S. Fattorini, and J. San-Miguel-Ayanz, Nat. Commun. 5, 4114 (2014).
- [21] J. Nishimura, arXiv:1704.01951.
- [22] S. Cafieri, P. Hansen, and L. Liberti, Phys. Rev. E 81, 046102 (2010).
- [23] Y. Artzy-Randrup and L. Stone, Phys. Rev. E 72, 056708 (2005).
- [24] L. Tabourier, C. Roth, and J.-P. Cointet, ACM J. Exp. Algorithmics 16, 7:1 (2011).
- [25] See Supplemental Material at http://link.aps.org/supplemental/ 10.1103/PhysRevE.109.L053301 for proofs and algorithmic details.
- [26] Y. Chen, P. Diaconis, S. P. Holmes, and J. S. Liu, J. Am. Stat. Assoc. 100, 109 (2005).
- [27] J. W. Miller and M. T. Harrison, Ann. Stat. 41, 1569 (2013).
- [28] R. B. Holmes and L. K. Jones, Annal. Stat. 24, 64 (1996).
- [29] I. Miklós and J. Podani, Ecology 85, 86 (2004).
- [30] T. A. Snijders, Psychometrika 56, 397 (1991).
- [31] E. Czabarka, A. Dutle, P. L. Erdős, and I. Miklós, Discrete Appl. Math. 181, 283 (2015).
- [32] G. Robins, P. Pattison, Y. Kalish, and D. Lusher, Soc. Networks 29, 173 (2007).
- [33] B. Bollobás, Eur. J. Comb. 1, 311 (1980).
- [34] P. L. Erdős, I. Miklós, and Z. Toroczkai, Electron. J. Combinat. 17, R66 (2010).
- [35] H. Kim, C. I. Del Genio, K. E. Bassler, and Z. Toroczkai, New J. Phys. 14, 023012 (2012).
- [36] F. Chung and L. Lu, Proc. Natl. Acad. Sci. USA 99, 15879 (2002).
- [37] T. Squartini and D. Garlaschelli, New J. Phys. 13, 083001 (2011).
- [38] T. Squartini, R. Mastrandrea, and D. Garlaschelli, New J. Phys. 17, 023052 (2015).
- [39] C. Brissette and G. Slota, in *Proceedings of the Tenth Interna*tional Conference on Complex Networks and Their Applications (Springer, 2022), pp. 451–462.
- [40] T. A. Snijders, P. E. Pattison, G. L. Robins, and M. S. Handcock, Sociol. Methodol. 36, 99 (2006).
- [41] N. Vallarano, M. Bruno, E. Marchese, G. Trapani, F. Saracco, G. Cimini, M. Zanon, and T. Squartini, Sci. Rep. 11, 15227 (2021).