

Erratum: Precise Determination of Electroweak Parameters in Neutrino-Nucleon Scattering [Phys. Rev. Lett. 88, 091802 (2002)]

G. P. Zeller, K. S. McFarland, T. Adams, A. Alton, S. Avvakumov, L. de Barbaro, P. de Barbaro, B. H. Bernstein, A. Bodek, T. Bolton, J. Brau, D. Buccholz, H. Budd, L. Bugel, J. Conrad, R. B. Drucker, B. T. Fleming, R. Frey, J. A. Formaggio, J. Goldman, M. Goncharov, D. A. Harris, R. A. Johnson, J. H. Kim, S. Koutsoliotas, M. J. Lamm, W. Marsh, D. Mason, J. McDonald, C. McNulty, D. Naples, P. Nienaber, A. Romosan, W. K. Sakumoto, H. Schellman, M. H. Shaevitz, P. Spentzouris, E. G. Stern, N. Suwonjandee, M. Tzanov, M. Vakili, A. Vaitaitis, U. K. Yang, J. Yu, and E. D. Zimmerman

(Received 17 April 2003; published 10 June 2003)

DOI: 10.1103/PhysRevLett.90.239902

PACS numbers: 12.15.Ji, 12.15.Mm, 13.15.+g, 99.10.Cd

An additional significant digit is added to the reported experimental measurements in Eqs. (6)–(8) on pages 091802–3. The results with the inclusion of additional precision are

$$\sin^2 \theta_W^{(\text{on-shell})} = 0.22773 \pm 0.00135(\text{stat}) \pm 0.00093(\text{syst}) - 0.00022 \left(\frac{M_{\text{top}}^2 - (175 \text{ GeV})^2}{(50 \text{ GeV})^2} \right) + 0.00032 \ln \left(\frac{M_{\text{Higgs}}}{150 \text{ GeV}} \right), \quad (6)$$

$$\rho_0 = 0.99789 \pm 0.00405, \quad \sin^2 \theta_W = 0.22647 \pm 0.00311, \quad (7)$$

$$(g_L^{\text{eff}})^2 = 0.30005 \pm 0.00137, \quad (g_R^{\text{eff}})^2 = 0.03076 \pm 0.00110. \quad (8)$$

The above measurements for $(g_L^{\text{eff}})^2$ and $(g_R^{\text{eff}})^2$ are different from those originally reported due to a mistake related to the assumed reference values for M_{top} and M_{Higgs} .

The small correlation coefficient for the two parameter $(g_L^{\text{eff}})^2 - (g_R^{\text{eff}})^2$ fit is now explicitly stated; it is -0.017 .